



VOM RAD FÜR KIDS ZUM E-BIKE FÜR STADT, LAND, FLUSS

Längst sind unsere Räder und E-Bikes zuverlässige Begleiter über Generationen geworden. Sie sind da, wenn Kinder ganz ohne Stützräder die Welt erobern wollen, sie bringen sicher zur Schule, ins Schwimmbad, zum Einkauf und sind dabei, wenn es auf große Tour geht. Sie sind unerlässlich auf dem Weg zur Uni oder zur Arbeit und robuste Wegegefährten für die Abenteuer in der Freizeit. Und unsere E-Bikes trotzen Gegenwind, steilen Anstiegen und erlauben auch in der Stadt ein sicheres und nachhaltiges Unterwegssein – jede Menge Fahrspaß inklusive.

FROM KIDS' BIKES TO E-BIKES FOR CITY AND COUNTRYSIDE

For a long time now, our bikes and E-Bikes have been reliable cross-generation companions. They are present when kids explore the world without training wheels, they ensure a safe way to school, to the swimming pool or to the grocery store and they are there when you set out for a big tour. They are essential for the way to university or work and robust mates for leisure adventures. Our eBikes resist headwind, steep ascents and allow safe and sustainable riding around the city – lots of riding fun included.

www.winora.com



DEALERBOOK | LET'S MOVE 2020



Let's move 2020

DEALERBOOK | MODELYEAR 2020





DEALERBOOK

COLLECTION 2020



Unsere Vision: Marktführerschaft im E-Bike Segment - durch Wachstum mit Verantwortung für Kunden, Händler und unsere Umwelt.

Unsere Mission: Nichts motiviert uns mehr als begeisterte Kunden und Händler. „GREAT BIKES WIN GREAT LIKES“.

Our vision: Market leadership in the e-bikes sector by growth with responsibility for consumers, dealers and our environment.

Our mission: Nothing motivates us more than satisfied consumers and dealers. „GREAT BIKES WIN GREAT LIKES“.



Let's
move
2020



WINORA

LET'S MOVE. Marken tun gut daran, ihre eigene Strategie und Haltung immer wieder einmal zu überprüfen und gegebenenfalls zu justieren, um auf lange Sicht zukunftsfähig zu bleiben. Dabei reicht es nicht, verliebt auf die eigenen Produkte zu schauen und sich über Auszeichnungen und Erfolge zu freuen, sondern auch zu verstehen, was Menschen aktuell um- und antreibt. Wir haben dafür einen Blick zurück nach vorn geworfen und festgestellt: Wir wollen nicht nur Teil dieser Veränderung sein, sondern vor allem Antrieb und Wegbereiter für das sein, was uns in den nächsten Jahren bewegen wird.

Längst sind unsere Räder und E-Bikes zuverlässige Begleiter über Generationen geworden. Sie sind da, wenn Kinder ganz ohne Stützräder die Welt erobern wollen, sie bringen sicher zur Schule, ins Schwimmbad, zum Einkauf und sind dabei, wenn es auf große Tour geht. Sie sind unerlässlich auf dem Weg zur Uni oder zur Arbeit und robuste Wegefahrten für die Abenteuer in der Freizeit. Und unsere E-Bikes trotzen Gegenwind, steilen Anstiegen und erlauben auch in der Stadt ein sicheres und nachhaltiges Unterwegssein – jede Menge Fahrspaß inklusive.

***LET'S MOVE.** Brands are well-advised to review their own strategies and attitudes continually and adjust them as necessary to retain a longrange vision that is viable for the future. It is not enough to be enamored with one's own products and to celebrate awards and successes. A business also needs to understand what people are doing and what drives them. Therefore, we had a look at the big picture and realized: We not only want to be part of this change, we want to be the drive behind it and pave the way for what will move us in the next few years.*

For a long time now, our bikes and eBikes have been reliable cross-generation companions. They are present when kids explore the world without training wheels, they ensure a safe way to school, to the swimming pool or to the grocery store and they are there when you set out for a big tour. They are essential for the way to university or work and robust mates for leisure adventures. Our eBikes resist headwind, steep ascents and allow safe and sustainable riding around the city – lots of riding fun included.



MOBILITÄT FÜR ALLE

Damit unsere Städte grüner und lebenswerter werden, brauchen wir eine Mobilität, die autonom, sicher und sauber ist. Das Fahrrad in seiner heutigen Form ist das effizienteste und nachhaltigste aller menschlichen Fortbewegungsmittel. Der Gründer von Winora, Engelbert Wiener, baute 1921 von Hand die ersten Fahrräder für seine Töchter Thea und Martha. Dies war eine Sensation, denn es gab zu dieser Zeit noch keine Serienfahrräder für Kinder und Jugendliche. Engelbert Wiener aber wollte, dass auch seine Töchter sich auf zwei Rädern fortbewegen konnten wie er und sein Bruder, mit dem er Deutscher Meister im Vierer-Mannschaftsfahren geworden war. Er wollte dieses einmalige Erlebnis und das Gefühl der Unabhängigkeit auch allen anderen Menschen ermöglichen. In dieser kleinen Anekdote liegt der Kern unserer neuen Markenstrategie. Die Familiengeschichte wird gelebte Markenrealität.

MOBILITY FOR EVERYONE

Our cities must become greener and more livable. To accomplish this we need modes of mobility that are autonomous, safe and clean. The bicycle in its form today is the most efficient and sustainable of all modes of personal transportation. The founder of Winora, Engelbert Wiener, built his first bicycles by hand in 1921 for his daughters Thea and Martha. This was a minor sensation, because in those days production bicycles were not being built for children or youth yet. But Engelbert Wiener wanted to make it possible for his daughters to ride on two wheels like him and his brother with whom he had become the German champion in four-man team bicycle racing. He wanted to make it possible for others to enjoy the unique experience and the feeling of independence that riding on a bicycle offers. In this small anecdote lies our new brand philosophy. The family history becomes living brand reality.



INHALT / INDEX

TOP RANGE 2020	06
----------------	----

E-BIKES

Sinus i-Serie	14
Sinus Tria	26
Sima	40
Yakun	48
Yucatan	52
Radius	62

BIKES

Tour	66
Sportive	76
Urban	82
Comfort	90

KIDS & ATB BIKES

Rage	99
Dash	104
Chica	110

AWARDS	119
--------	-----

MOTORS & DISPLAYS	122
-------------------	-----

GEOMETRIEN/GEOMETRIES	127
-----------------------	-----

WINORA TOP RANGE



SINUS iX12



SINUS iX10



SINUS i10



SINUS i9



SINUS iR380 auto



SINUS iR8



SINUS iN8



SINUS iN7



SINUS iN5



SINUS TRIA 10



SINUS TRIA 9



SINUS TRIA 8



SINUS TRIA 7eco



SINUS TRIA N8



SINUS TRIA N7



SINUS TRIA N7eco



SIMA 7 400



SIMA N7 400



YUCATAN i20



YUCATAN i9



YAKUN Tour



RADIUS Tour



DOMINGO 24 Disc



DOMINGO 21



RAGE 26 | 21-Speed



DASH 26 | 21-Speed



DASH 26 | 7-Speed



DASH 24 | 21-Speed



CHICA 26 | 21-Speed

SINUS

Zukunft schreibt man mit E

Laut Bundesumweltamt* entstehen aktuell 82 Prozent der CO₂-Emissionen durch unsere Mobilität im Alltag. Während ein Auto bei einem innerstädtischen Weg von knapp zehn Kilometern 472 kg CO₂ ausstößt, sind es beim E-Bike nur 13 kg. Gerade in der Stadt spricht also alles fürs Umsteigen. Zum Beispiel auf eines unserer neuen SINUS Modelle mit integrierten Intube Akkus, die dafür sorgen, dass unsere neuen SINUS Modelle nicht nur gut für die Umwelt und äußerst komfortabel sind, sondern auch echte Hingucker.

The future is spelled with an "e"

According to the German Federal Environment Agency, everyday mobility generates 82 percent of CO₂ emissions today. In a life cycle assessment, a car emits around 472 kg CO₂ per ten kilometers of urban driving, while the figure for an e-bike is just 13 kg. Especially in the city, everything points towards making a switch – to our new SINUS models, for example. Their intube batteries are integrated into their tubular frames. These models are not only good for the environment and extremely comfortable; they also have real eye-catching designs.*

*www.mein-klimaschutz.de

ST NU S



SINUS iX



KEY FEATURES

- Leistungsstarker Bosch Performance CX Gen4 Motor
- Kleinere 27.5" Laufräder mit breiteren Reifen für Wald- und Feldwege
- Option zur Erweiterung der Reichweite bis zu 1000Wh
- MRS kompatibel

KEY FEATURES

- *Strong Bosch Performance CX Gen4 Motor*
- *Smaller wheels 27,5" with wider tires for forest and field lanes*
- *Range extender option for up to 1000Wh*
- *MRS compatible*



BENEFITS

- Leistungsstarke Unterstützung beim Fahren
- Maximaler Komfort auf jedem Untergrund
- Größere Reichweite ohne Aufladen
- Einfaches Befestigen von weiterem Zubehör

BENEFITS

- *Powerful support while cycling*
- *Maximize comfort on every ground*
- *Higher range without charging*
- *Easy adjustment with additional equipment*



MRS

MODULAR RAIL SYSTEM



Sinus
iX12
iX10

- Sinus iX Modelle mit integriertem MRS
- Kompatibel mit allen MRS Teilen
- Für alle Rahmen (Herren, Damen, Einrohr) und Rahmengrößen erhältlich
- Zusätzliche Flaschenhalter Befestigung (64mm) für Herren und Damenmodelle
- Sinus iX models with integrated MRS
- Compatible with all existing MRS parts
- Available on all frames (gent, lady, wave) and sizes
- Additional bottle cage mount (64mm) for gent and lady

Unser **patentiertes MRS** ermöglicht es, verschiedenes Zubehör schnell und einfach am Bike zu befestigen. Eine Befestigungsschiene ist an der Oberseite des Unterrohrs integriert, in der z. B. eine **Trinkflasche** oder **Tasche** an frei wählbarer Position montiert werden kann. Somit haben Sie alle Utensilien, die Sie während einer Fahrt benötigen, immer in Griffweite.

Our **patented MRS** allows various accessories to be attached to the bike quickly and easily. A fastening rail is integrated into the upper side of the down tube and allows a **drinking bottle** or **bag** to be mounted in any desired position. This means the tools you need during a trip are always within reach.

RANGE EXTENDER*

Perfekt für lange Touren: Mit nur wenigen Handgriffen kann ein zusätzlicher PowerPack-Akku installiert werden. Somit kann eine deutlich höhere Reichweite mit bis zu 1.000 Wh erreicht werden.

Perfect for long tours: An additional PowerPack battery can be mounted in just a few steps. This enables achieving a significant higher reach with up to 1.000 Wh.



Sinus iX12 Monotube
mit/with RANGE EXTENDER
(*optional)



SINUS

Sinus iX12

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano SLX M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Bremshebel / Brake lever	Shimano Deore XT T8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Bremse hinten / Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT500
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	Eurofender Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

27,5"

MRS



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4442001048	metallic sand matte
Men	27.5"	52 cm	4442001052	metallic sand matte
Men	27.5"	56 cm	4442001056	metallic sand matte
Men	27.5"	60 cm	4442001060	metallic sand matte
Women	27.5"	44 cm	4442011044	metallic sand matte
Women	27.5"	48 cm	4442011048	metallic sand matte
Women	27.5"	52 cm	4442011052	metallic sand matte
Monotube	27.5"	46 cm	4442021046	metallic sand matte
Monotube	27.5"	50 cm	4442021050	metallic sand matte
Monotube	27.5"	54 cm	4442021054	metallic sand matte

SINUS

Sinus iX10



SINUS i-SERIES

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	Eurofender Winora schwarz matt, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

27,5"

MRS



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4441001048	concrete
Men	27.5"	52 cm	4441001052	concrete
Men	27.5"	56 cm	4441001056	concrete
Men	27.5"	60 cm	4441001060	concrete
Women	27.5"	44 cm	4441011044	concrete
Women	27.5"	48 cm	4441011048	concrete
Women	27.5"	52 cm	4441011052	concrete
Monotube	27.5"	46 cm	4441021046	concrete
Monotube	27.5"	50 cm	4441021050	concrete
Monotube	27.5"	54 cm	4441021054	concrete

SINUS i-Serie



KEY FEATURES

- Steifer Rahmen, breite Reifen und niedriger Schwerpunkt
 - Integrierte Batterie
 - Bewährte Motoreinheiten
 - Racktime Trägersystem
-

KEY FEATURES

- *Stiff frame, wide tires and low gravity center*
 - *Integrated Battery*
 - *Proven motor units*
 - *Racktime Carrier System*
-



BENEFITS

- Super sicheres, stabiles Fahrgefühl
- Einfacher Zugang zum Ladeport, Schloß etc.
- Lange Lebensdauer, niedriger Wartungsaufwand
- Problemloses Befestigen von Zubehör (individuell je nach Kundenwunsch)

BENEFITS

- *Super safe, stable riding feeling*
- *Easy access to chargeport, lock etc.*
- *Long lifetime, less service*
- *Easy accessory-mount (and personalizing to the consumer usage)*



Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4426010048	black matt
Men	28"	52 cm	4426010052	black matt
Men	28"	56 cm	4426010056	black matt
Men	28"	60 cm	4426010060	black matt
Women	28"	44 cm	4426110044	black matt
Women	28"	48 cm	4426110048	black matt
Women	28"	52 cm	4426110052	black matt
Monotube	28"	46 cm	4426510046	black matt
Monotube	28"	50 cm	4426510050	black matt
Monotube	28"	54 cm	4426510054	black matt

SINUS

Sinus i9

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M591, 9-speed
Schalthebel / Shift lever	Shimano Altus M2000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T285, aluminium
Bremse vorne / Brake front	Tektro T285, 180mm
Bremse hinten / Brake rear	Tektro T285, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Sinus aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.1kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4429009848	titanium
Men	28"	52 cm	4429009852	titanium
Men	28"	56 cm	4429009856	titanium
Men	28"	60 cm	4429009860	titanium
Women	28"	44 cm	4429109844	titanium
Women	28"	48 cm	4429109848	titanium
Women	28"	52 cm	4429109852	titanium
Women	28"	56 cm	4429109856	titanium
Monotube	28"	46 cm	4429709946	titanium
Monotube	28"	50 cm	4429709950	titanium
Monotube	28"	54 cm	4429709954	titanium
Monotube	26"	46 cm	4429509946	titanium



Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NCX EB-DLO-CTS, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Enviolo TR
Schalthebel / Shift lever	Enviolo automatic, wireless, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Enviolo TR
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"



ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4432508046	dark pine
Monotube	28"	50 cm	4432508050	dark pine
Monotube	28"	54 cm	4432508054	dark pine



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano T445, aluminium
Bremse vorne / Brake front	Shimano M445, 160mm
Bremse hinten / Brake rear	Shimano M445, 160mm, coaster brake
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4437008948	onyx black
Men	28"	52 cm	4437008952	onyx black
Men	28"	56 cm	4437008956	onyx black
Men	28"	60 cm	4437008960	onyx black
Women	28"	44 cm	4437108944	onyx black
Women	28"	48 cm	4437108948	onyx black
Women	28"	52 cm	4437108952	onyx black
Monotube	28"	46 cm	4437508946	onyx black
Monotube	28"	50 cm	4437508950	onyx black
Monotube	28"	54 cm	4437508954	onyx black
Monotube	28"	46 cm	4437908946	modern blue matt
Monotube	28"	50 cm	4437908950	modern blue matt
Monotube	28"	54 cm	4437908954	modern blue matt



Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano T44S, aluminium
Bremse vorne / Brake front	Shimano M44S, 160mm
Bremse hinten / Brake rear	Shimano M44S, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4438908946	modern blue matt
Monotube	28"	50 cm	4438908950	modern blue matt
Monotube	28"	54 cm	4438908954	modern blue matt
Men	28"	48 cm	4438008948	onyx black
Men	28"	52 cm	4438008952	onyx black
Men	28"	56 cm	4438008956	onyx black
Men	28"	60 cm	4438008960	onyx black
Women	28"	44 cm	4438108944	onyx black
Women	28"	48 cm	4438108948	onyx black
Women	28"	52 cm	4438108952	onyx black
Monotube	28"	46 cm	4438508946	onyx black
Monotube	28"	50 cm	4438508950	onyx black
Monotube	28"	54 cm	4438508954	onyx black

SINUS

Sinus iN5

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 5-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Shimano pinion, 27 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4439305046	graphite
Monotube	28"	46 cm	4439505046	graphite
Monotube	28"	50 cm	4439505050	graphite
Monotube	28"	54 cm	4439505054	graphite

SINUS

Sinus iN5f



Abb. ähnlich /
Illustration similar

SINUS i-SERIES

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 5-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Shimano pinion, 27 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Myc, 50 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4440305046	graphite
Monotube	28"	46 cm	4440505046	graphite
Monotube	28"	50 cm	4440505050	graphite
Monotube	28"	54 cm	4440505054	graphite

SINUS

Sinus iN8

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4435008946	moon grey
Monotube	28"	46 cm	4435208946	moon grey
Monotube	28"	50 cm	4435208950	moon grey
Monotube	28"	54 cm	4435208954	moon grey
Monotube	26"	46 cm	4435408946	white
Monotube	28"	46 cm	4435608946	white
Monotube	28"	50 cm	4435608950	white
Monotube	28"	54 cm	4435608954	white

SINUS

Sinus iN8f



SINUS i-SERIES

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4436308946	white
Monotube	28"	46 cm	4436508946	white
Monotube	28"	50 cm	4436508950	white
Monotube	28"	54 cm	4436508954	white
Monotube	26"	46 cm	4436008946	moon grey
Monotube	28"	46 cm	4436208946	moon grey
Monotube	28"	50 cm	4436208950	moon grey
Monotube	28"	54 cm	4436208954	moon grey

SINUS

Sinus iN7

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4433007946	black matt
Monotube	28"	46 cm	4433207946	black matt
Monotube	28"	50 cm	4433207950	black matt
Monotube	28"	54 cm	4433207954	black matt
Monotube	26"	46 cm	4433307946	piemont red
Monotube	28"	46 cm	4433507946	piemont red
Monotube	28"	50 cm	4433507950	piemont red
Monotube	28"	54 cm	4433507954	piemont red

SINUS

Sinus iN7f



SINUS i-SERIES

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4434307946	piemont red
Monotube	28"	46 cm	4434507946	piemont red
Monotube	28"	50 cm	4434507950	piemont red
Monotube	28"	54 cm	4434507954	piemont red
Monotube	26"	46 cm	4434007946	black matt
Monotube	28"	46 cm	4434207946	black matt
Monotube	28"	50 cm	4434207950	black matt
Monotube	28"	54 cm	4434207954	black matt

SINUS TRIA

Bitte Platz nehmen

Bei der CO₂-Bilanz von E-Bikes müssen auch die Emissionen berücksichtigt werden, die bei der Herstellung und Entsorgung des Akkus entstehen. Die gute Nachricht: Sie sind bereits nach rund 100 Kilometern Fahrt, die man per Elektrofahrrad statt mit einem Auto zurücklegt, ausgeglichen*. Und wenn das Bike dann auch noch so bequem und komfortabel ist wie unsere SINUS TRIA Modelle mit tiefem Durchstieg, aufrechter Sitzposition und Rücktrittbremse, können einem selbst Gegenwind und Anstiege nichts anhaben.

Please take a seat

A life cycle assessment of the CO₂ footprint of e-bikes must consider the emissions that occur in manufacturing and battery disposal. The good news: These emissions are already offset after around 100 kilometers of riding a bicycle instead of driving a car. Even a head wind or hill doesn't bother the rider when the bike has a design that offers as much comfort and convenience as our SINUS TRIA models with their low step-through, vertical seating position and coasterbrakes.*

*www.mein-klimaschutz.de

SI NUS TRIA



SINUS TRIA



KEY FEATURES

- Steifer Rahmen, breite Reifen und niedriger Schwerpunkt
 - Ausgezeichnet mit Design Awards
 - Zuverlässige Motoreinheiten
 - Aufrechte Sitzposition & verstellbarer Vorbau
-

KEY FEATURES

- *Stiff frame, wide tires and low gravity center*
 - *Proven by design awards*
 - *Reliable motor units*
 - *Upright riding position & adjustable stem*
-



BENEFITS

- super sicheres/stabiles Fahrgefühl
- Zuverlässige/evergreen Plattform
- Lange Lebensdauer, niedriger Wartungsaufwand
- Bequemes Fahrgefühl für mittellange & lange Strecken

BENEFITS

- *Super safe/stable riding feeling*
- *Reliable/evergreen platform*
- *Long lifetime, less service*
- *Comfort riding feeling for mid & long distances*



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Deore T6000, 10-speed
Schalthebel / Shift lever	Shimano Deore T6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection / Schwalbe Delta Cruiser Plus, 47-559, puncture protection
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime Tria, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4428010048	graphite
Men	28"	52 cm	4428010052	graphite
Men	28"	56 cm	4428010056	graphite
Men	28"	60 cm	4428010060	graphite
Women	28"	44 cm	4428110044	graphite
Women	28"	48 cm	4428110048	graphite
Women	28"	52 cm	4428110052	graphite
Women	28"	56 cm	4428110056	graphite
Monotube	28"	46 cm	4428510046	graphite
Monotube	28"	46 cm	4428710046	graphite
Monotube	28"	50 cm	4428710050	graphite
Monotube	28"	54 cm	4428710054	graphite



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Alivio T4000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4424009948	black matt
Men	28"	52 cm	4424009952	black matt
Men	28"	56 cm	4424009956	black matt
Men	28"	60 cm	4424009960	black matt
Women	28"	44 cm	4424109944	black matt
Women	28"	48 cm	4424109948	black matt
Women	28"	52 cm	4424109952	black matt
Monotube	28"	46 cm	4424309946	black matt
Monotube	28"	46 cm	4424509946	black matt
Monotube	28"	50 cm	4424509950	black matt
Monotube	28"	54 cm	4424509954	black matt
Women	28"	44 cm	4425109944	glaze red
Women	28"	48 cm	4425109948	glaze red
Women	28"	52 cm	4425109952	glaze red
Monotube	28"	46 cm	4425309946	glaze red
Monotube	28"	46 cm	4425509946	glaze red
Monotube	28"	50 cm	4425509950	glaze red
Monotube	28"	54 cm	4425509954	glaze red



Abb. ähnlich /
Illustration similar

SINUS TRIA

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Acera M360, 8-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Bassano Volare City XL
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4422308946	dullgray matt
Monotube	28"	46 cm	4422508946	dullgray matt
Monotube	28"	50 cm	4422508950	dullgray matt
Monotube	28"	54 cm	4422508954	dullgray matt
Monotube	28"	46 cm	4423308946	sandstone
Monotube	28"	46 cm	4423508946	sandstone
Monotube	28"	50 cm	4423508950	sandstone
Monotube	28"	54 cm	4423508954	sandstone

SINUS

Sinus Tria 7eco

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Altus M310, 7-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Tektro T285, aluminium
Bremse vorne / Brake front	Tektro T285, 180mm
Bremse hinten / Brake rear	Tektro T285, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18F
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	22.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4420007848	black
Men	28"	52 cm	4420007852	black
Men	28"	56 cm	4420007856	black
Men	28"	60 cm	4420007860	black
Women	28"	44 cm	4420107844	black
Women	28"	48 cm	4420107848	black
Women	28"	52 cm	4420107852	black
Monotube	28"	46 cm	4420307846	black
Monotube	28"	46 cm	4420507846	black
Monotube	28"	50 cm	4420507850	black
Monotube	28"	54 cm	4420507854	black
Women	28"	44 cm	4421107844	white
Women	28"	48 cm	4421107848	white
Women	28"	52 cm	4421107852	white
Monotube	28"	46 cm	4421307846	white
Monotube	28"	46 cm	4421507846	white
Monotube	28"	50 cm	4421507850	white
Monotube	28"	54 cm	4421507854	white

SINUS

Sinus Tria N8



Abb. ähnlich /
Illustration similar



SINUS TRIA

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 47-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4417108846	black matt
Monotube	28"	46 cm	4417308846	black matt
Monotube	28"	50 cm	4417308850	black matt
Monotube	28"	54 cm	4417308854	black matt
Monotube	26"	46 cm	4417408046	oliv
Monotube	28"	46 cm	4417508046	oliv
Monotube	28"	50 cm	4417508050	oliv
Monotube	28"	54 cm	4417508054	oliv

SINUS

Sinus Tria N8f

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 47-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA BlueLine
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	25.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4418108846	black matt
Monotube	28"	46 cm	4418308846	black matt
Monotube	28"	50 cm	4418308850	black matt
Monotube	28"	54 cm	4418308854	black matt
Monotube	26"	46 cm	4418408046	oliv
Monotube	28"	46 cm	4418508046	oliv
Monotube	28"	50 cm	4418508050	oliv
Monotube	28"	54 cm	4418508054	oliv

SINUS

Sinus Tria N7



Abb. ähnlich /
Illustration similar

SINUS TRIA

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4412707846	white
Monotube	28"	46 cm	4412907846	white
Monotube	28"	50 cm	4412907850	white
Monotube	28"	54 cm	4412907854	white
Monotube	26"	46 cm	4412107046	midnight blue
Monotube	28"	46 cm	4412307046	midnight blue
Monotube	28"	50 cm	4412307050	midnight blue
Monotube	28"	54 cm	4412307054	midnight blue

SINUS

Sinus Tria N7f

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4414107046	midnight blue
Monotube	28"	46 cm	4414307046	midnight blue
Monotube	28"	50 cm	4414307050	midnight blue
Monotube	28"	54 cm	4414307054	midnight blue
Monotube	26"	46 cm	4414707046	white
Monotube	28"	46 cm	4414907046	white
Monotube	28"	50 cm	4414907050	white
Monotube	28"	54 cm	4414907054	white

SINUS

Sinus Tria N7 eco



Abb. ähnlich /
Illustration similar

SINUS TRIA

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4410107846	onyx black
Monotube	28"	46 cm	4410307846	onyx black
Monotube	28"	50 cm	4410307850	onyx black
Monotube	28"	54 cm	4410307854	onyx black
Monotube	26"	46 cm	4410707046	burgundy red matte
Monotube	28"	46 cm	4410907046	burgundy red matte
Monotube	28"	50 cm	4410907050	burgundy red matte
Monotube	28"	54 cm	4410907054	burgundy red matte

SINUS

Sinus Tria N7f eco

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	Samox, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Busch & Müller Upp, 30 lux
Rücklicht / Rear light	AXA BlueLine
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4411107846	onyx black
Monotube	28"	46 cm	4411307846	onyx black
Monotube	28"	50 cm	4411307850	onyx black
Monotube	28"	54 cm	4411307854	onyx black
Monotube	26"	46 cm	4411707046	burgundy red matte
Monotube	28"	46 cm	4411907046	burgundy red matte
Monotube	28"	50 cm	4411907050	burgundy red matte
Monotube	28"	54 cm	4411907054	burgundy red matte

SIMA

Einfach ist das neue chic

Unsere Welt scheint immer komplexer zu werden. Die Digitalisierung sorgt für eine unübersichtliche Menge an Informationen, die tagtäglich auf uns einströmen. Selbst der Kühlschrank will verstanden werden, bevor er uns daran erinnert, dass wir Milch kaufen müssen. Schön, dass es auch noch einfache Lösungen gibt. Für unsere SIMA Modelle braucht niemand Gebrauchsanweisungen zu studieren. Die Räder sind perfekte City E-Bikes für den Weg durch die Stadt oder zur Arbeit. Für kleine Abstecher ins Grüne oder Ausfahrten ins Blaue. Der am Sitzrohr platzierte Akku sorgt für einen mittigen Schwerpunkt und ein angenehmes Fahrgefühl, das zusätzlich durch den tiefen Durchstieg und die Federgabel unterstützt wird.

Simplicity is the new chic

Our world seems to be growing increasingly more complex. Digitalization generates incredible volumes of information that flow into our lives every day. Even the refrigerator wants information and our attention when it reminds us to shop for milk. It's nice that there are simple solutions too. No one has to study an operating manual to use one of our SIMA models. These wheels are perfect city e-bikes for riding through urban areas or commuting to work. For short excursions to a green belt or adventures into the wild blue yonder. The battery mounting position on the seat tube centralizes the bike's center of gravity for a pleasant feeling while riding, which is further enhanced by the low step-through and the front fork suspension.

ST M A



SIMA



KEY FEATURES

- Niedriger Schwerpunkt
 - Breiter Einstieg
 - Bewährte Motoren
 - Aufrechte Sitzposition
 - AVS Trägersystem
-

KEY FEATURES

- Low CoG
 - Wide "entrance"
 - Proven motors
 - Upright riding position
 - AVS carrier
-



BENEFITS

- Super sicheres/stabiles Fahrverhalten
- Leichter Einstieg
- Lange Lebensdauer, geringer Wartungsaufwand
- Bequemes Fahrgefühl für mittellange & lange Strecken
- Leichtes Befestigen von Zubehör (individuell je nach Kundenwunsch)

BENEFITS

- Super safe/stable riding feeling
- Easy Access
- Long lifetime, less service
- Comfort riding feeling for mid & long distances
- Easy accessory-mount (and personalizing to the consumer usage)



Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Altus M310, 7-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T285, aluminium
Bremse vorne / Brake front	Tektro T285, 180mm
Bremse hinten / Brake rear	Tektro T285, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E857, non-slip, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4403707846	glaze red
Monotube	28"	46 cm	4403907846	glaze red
Monotube	28"	50 cm	4403907850	glaze red
Monotube	28"	54 cm	4403907854	glaze red
Monotube	26"	46 cm	4403107846	black matt
Monotube	28"	46 cm	4403307846	black matt
Monotube	28"	50 cm	4403307850	black matt
Monotube	28"	54 cm	4403307854	black matt

Sima N7 Plus 500



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour CR85 E25, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA BlueLine, 30 lux
Rücklicht / Rear light	AXA BlueLine
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4408007846	glaze red
Monotube	28"	46 cm	4408207846	glaze red
Monotube	28"	50 cm	4408207850	glaze red
Monotube	28"	54 cm	4408207854	glaze red
Monotube	26"	46 cm	4408507846	black matt
Monotube	28"	46 cm	4408707846	black matt
Monotube	28"	50 cm	4408707850	black matt
Monotube	28"	54 cm	4408707854	black matt



Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour CR85 E25, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E857, non-slip, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4405707846	white
Monotube	28"	46 cm	4405907846	white
Monotube	28"	50 cm	4405907850	white
Monotube	28"	54 cm	4405907854	white
Monotube	26"	46 cm	4405107846	black matt
Monotube	28"	46 cm	4405307846	black matt
Monotube	28"	50 cm	4405307850	black matt
Monotube	28"	54 cm	4405307854	black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A
Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour CR85 E25, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Citylenker 610mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar
Steuersatz / Headset	1 1/8" Semi Integrated
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E857, non-slip, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	AtranVelo Sima
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 18
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

BOSCH

28"

26"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	46 cm	4406107846	black matt
Monotube	28"	46 cm	4406307846	black matt
Monotube	28"	50 cm	4406307850	black matt
Monotube	28"	54 cm	4406307854	black matt
Monotube	28"	46 cm	4406707846	white
Monotube	28"	46 cm	4406907846	white
Monotube	28"	50 cm	4406907850	white
Monotube	28"	54 cm	4406907854	white

YAKUN

Bereit für Stadt, Land und Fluss

Auf breiten 27,5-Zoll-Reifen querfeldein oder in Nullkommanichts zur Arbeit: E-Bikes sind nicht nur gut für die Umwelt, sondern gerade auf kurzen Strecken bis 10 km das schnellste aller Fortbewegungsmittel. Und was das Beste ist: auch die lästige Parkplatzsuche entfällt. Die neuen YAKUN Modelle bieten für jedes Terrain eine optimale Balance aus Wendigkeit und Rollverhalten. Und ihr kraftvoller Yamaha-Motor entfaltet besonders beim Anfahren und am Berg seine Stärke.

Ready for the city, country and creek

On wide 27.5-inch tires for cross-country riding or to commute to work in practically no time. Not only are e-bikes good for the environment; they are the fastest mode of transportation over short routes of up to 10 km. And the best part is that they eliminate the annoying search for a parking place. The YAKUN models offer an optimal balance of agility and cruising comfort on every terrain. And their powerful Yamaha PW-X motor reveals its strengths especially when starting from a stop and climbing hills.

A black and white photograph of a bicycle seat and frame. The seat is dark and textured, with a small 'Max' label on the side. The frame is dark and has a 'YAK' label on the seat post. The background is blurred, showing what appears to be a workshop or garage.

YAK

K

UN

YAKUN



KEY FEATURES

- 27.5 Laufräder für agiles Fahrverhalten
 - Integrierte Anhängerkupplung
 - Max. zulässiges Gesamtgewicht 150kg
 - Leistungsstarker PW-X2 Motor
-

KEY FEATURES

- 27.5 wheels for agile riding
 - Integrated trailer hitch
 - Max. permissible total weight 150kg
 - Strong motor PW-X2
-



BENEFITS

- Bequemes, sportliches Fahrgefühl
- Leichtes Befestigen von Zubehör
- Geeignet für lange Strecken mit mehr Gepäck
- Leistungsstarke E-Unterstützung auch bei schwerer Beladung

BENEFITS

- Comfortable, sporty feeling
- easy accessory-mount
- Usable for long distance with more luggage
- Strong e-support even with heavy loads



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, thru-axle M12 (1.75) x 142mm
Gabel / Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Umwerfer / Front derailleur	Shimano Deore XT T781
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, FSA, 36-48
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu disc, thru-axle 15x100
Hinterradnabe / Rear wheel hub	aluminium disc, thru-axle 12x142
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergoriser, oversize 720mm
Griffe / Grips	retro stitched
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Winora Yukon, embossed
Sattelstütze / Seat post	by.schulz G.2, patent suspension, 31.6mm
Pedale / Pedals	VP 469, non-slip
Scheinwerfer / Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rücklicht / Rear light	P&W LED mini
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Winora, XLC Carrymore
Schutzbleche / Fenders	double wall, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	150kg
Bicycle type	City, Trekking, Cross

500Wh

YAMAHA

27,5"



ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	43 cm	4532020043	gunmetal/black
Men	27.5"	48 cm	4532020048	gunmetal/black
Men	27.5"	53 cm	4532020053	gunmetal/black
Men	27.5"	58 cm	4532020058	gunmetal/black


YUCATAN

Jetzt kann der Berg rufen

Rund um den Globus ziehen Menschen vom Land in die Stadt. Erstmals in der Geschichte lebt heute über die Hälfte der Weltbevölkerung in Städten. Der Platz wird knapp, das Grün rar. Wer freie Wildbahn, Berge, Seen, Wald und Wiesen, kurz: das Weite sucht, muss raus. Raus aus der Stadt und rein ins Vergnügen. Wie gemacht dafür sind die elektrisierten Trekking-Bikes der YUCATAN Serie mit Yamaha Antrieb und einem Gepäckträger, der alles schultert, was man für eine lange Tour braucht.

The mountains can now beckon

Around the globe, people from the country are being drawn to cities. Today, for the first time in history, more than half of the world's population lives in cities. Space is becoming scarce, and greenery is rare. Those seeking to go into the wilderness, mountains, lakes and meadows – i.e. the great expanse – must venture out. Out of the city and into enjoyment. The electrified trekking bikes of the YUCATAN series are made for this – with their Yamaha drives and a carrier that can handle everything that you need for a long tour.



YOU
CAN
TAIN

YUCATAN



KEY FEATURES

- Unterschiedliche Akkuoptionen
 - Sportliche Motoren
 - Racktime Trägersystem
-

KEY FEATURES

- *Different battery options*
 - *Sporty motors*
 - *Racktime Carrier System*
-



BENEFITS

- Individuelle Auswahl nach Ihren persönlichen Bedürfnissen
- Solides, sportliches Fahrgefühl,
- Einfaches Befestigen von Zubehör (individuell je nach Kundenwunsch)

BENEFITS

- *Individual choice for your needs*
- *Solid, sporty feeling*
- *Easy accessory-mount (and personalizing to the consumer usage)*



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwерfer / Front derailleur	Shimano Deore XT T781
Schaltwerk / Rear derailleur	Shimano Deore XT M781, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 36-48
Bremshebel / Brake lever	Shimano MT401-3, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	aluminium hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

YAMAHA

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4466020048	onyx black
Men	28"	52 cm	4466020052	onyx black
Men	28"	56 cm	4466020056	onyx black
Men	28"	60 cm	4466020060	onyx black
Women	28"	44 cm	4466120044	onyx black
Women	28"	48 cm	4466120048	onyx black
Women	28"	52 cm	4466120052	onyx black



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Alivio T4000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

YAMAHA

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4464009048	olive matt
Men	28"	52 cm	4464009052	olive matt
Men	28"	56 cm	4464009056	olive matt
Men	28"	60 cm	4464009060	olive matt
Women	28"	44 cm	4464109044	olive matt
Women	28"	48 cm	4464109048	olive matt
Women	28"	52 cm	4464109052	olive matt
Monotube	28"	46 cm	4464709046	olive matt
Monotube	28"	50 cm	4464709050	olive matt
Monotube	28"	54 cm	4464709054	olive matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 400Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Acera M360, 8-speed
Schalthebel / Shift lever	Shimano Altus M315, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, winkelverstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

YAMAHA

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4461008048	black matt/black gloss
Men	28"	52 cm	4461008052	black matt/black gloss
Men	28"	56 cm	4461008056	black matt/black gloss
Men	28"	60 cm	4461008060	black matt/black gloss
Women	28"	44 cm	4461108044	black matt/black gloss
Women	28"	48 cm	4461108048	black matt/black gloss
Women	28"	52 cm	4461108052	black matt/black gloss
Monotube	28"	46 cm	4461708046	black matt/black gloss
Monotube	28"	50 cm	4461708050	black matt/black gloss
Monotube	28"	54 cm	4461708054	black matt/black gloss



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltwerk / Rear derailleur	Shimano Altus M310, 8-speed
Schalthebel / Shift lever	Shimano Altus M315, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Land Cruiser Plus, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu hub
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 640mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP J303PES
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, Snapit
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh

YAMAHA

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4460008048	black matt
Men	28"	52 cm	4460008052	black matt
Men	28"	52 cm	4460008056	black matt
Men	28"	60 cm	4460008060	black matt
Women	28"	44 cm	4460108044	black matt
Women	28"	48 cm	4460108048	black matt
Women	28"	52 cm	4460108052	black matt
Monotube	28"	46 cm	4460708046	black matt
Monotube	28"	50 cm	4460708050	black matt
Monotube	28"	54 cm	4460708054	black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-TE System, 250W, 60Nm
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Nut type axle, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	Gates sprocket, 24 teeth
Kette / Chain	Gates CarbonDrive
Kettenblatt / Chainring	aluminium, Gates, 50
Bremshebel / Brake lever	Shimano T445, aluminium
Bremse vorne / Brake front	Shimano M445, 160mm
Bremse hinten / Brake rear	Shimano M445, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Viento
Sattelstütze / Seat post	patent suspension, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Rücklicht / Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

YAMAHA

28"



ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4452708946	grey matt
Monotube	28"	54 cm	4452708950	grey matt
Monotube	28"	50 cm	4452708954	grey matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-TE System, 250W, 60Nm
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Nut type axle, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	aluminium hub
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Herrmans Click Ergo - lock on grips
Vorbau / Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmanns H-Black MR4, 40 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Racktime RT-336, SnapIt
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

YAMAHA

28"



ARTIKELNUMMER / ORDER NUMBER

Monotube	28"	46 cm	4450707946	modern blue
Monotube	28"	50 cm	4450707950	modern blue
Monotube	28"	54 cm	4450707954	modern blue

RADIUS

20 Zoll für den Großstadtdschungel

Neben zahlreichen anderen Aspekten ist vor allem der Platzmangel ein Nebeneffekt der weltweit rasant wachsenden Städte. Hier machen sich intelligente Lösungen bezahlt. Wie etwa das Winora RADIUS mit seinem leistungsstarken Yamaha-Motor. Der Lenker ist einfach um 90° umklappbar und die Pedale sind einklappbar. Das geringe Gewicht und der Tragegriff aus der Verbindung von Ober- und Sitzrohr erleichtern das Transportieren. Aber eigentlich will man es am liebsten fahren. »Dieses Fahrrad ist ein Go-Kart«, meint auch die Presse. Klein, wendig, Spaßig, flink und eben extrem praktisch.

20-inch wheels for the big city environment

Along with numerous other aspects, it is the scarcity of space that is the primary effect of the rapid growth of cities worldwide. Intelligent solutions pay off here. Like the Winora RADIUS with its powerful Yamaha motor. For stowing, the handlebars are simply folded 90° and the pedals are folded. Their low weight and the carrying handle formed by the joint of the top tube and seat tube simplifies transport. Actually, the best part is riding it. According media reports: "This bicycle is a go-kart." Small, maneuverable, fun, speedy and extremely practical.

RADI DI US



RADIUS



KEY FEATURES

- Sportlicher Yamaha Motor
 - Geeignet für 160 – 190cm
 - Ausgewogener Schwerpunkt
 - Nur 22,5kg
-

KEY FEATURES

- *Sporty Yamaha motor*
 - *Fits for 160 – 190cm*
 - *Balanced CoG*
 - *Only 22,5kg*
-



BENEFITS

- Agiles, kompaktes Rad mit Go-Kart Gefühl
- Leicht auf Eure Größe einzustellen
- Leichte Handhabung beim Tragen
- Leicht zu tragen

BENEFITS

- *Agile compact bike with go-kart feeling*
- *Easy adjustable to your size*
- *Easy handling while carrying*
- *Easy to carry*

RADIUS

radius tour



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, Nut type axle, disc brake IS Mount
Gabel / Fork	Aluminum, steerer CroMo 1 1/8", quick release
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Zahnkranz (hinten) / Sprocket	pinion, 16 teeth
Kette / Chain	KMC Z1 Narrow EPT
Kettenblatt / Chainring	steel, 52
Bremshebel / Brake lever	Shimano MT400, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 160mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Big Ben, 55-406, reflex
Felgen / Rims	Rodi FW Disc, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Winora Evo disc, quick release axle, CL
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	aluminium Ergoriser
Griffe / Grips	XLC Endorfin lock on grips
Vorbau / Stem	by.schulz Speedlifter twist pro
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Arco
Sattelstütze / Seat post	450 mm, patent, 31.6mm, aluminium
Pedale / Pedals	VP F65 Faltpedal
Scheinwerfer / Headlight	Spanninga Kendo, 15 lux
Rücklicht / Rear light	Busch & Müller Xeltec, LED-rear light in the mudguard
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Kettenschutz / Chain guard	Chainrunner
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	22.3kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh

YAMAHA

20"



ARTIKELNUMMER / ORDER NUMBER

Uni	20"	35 cm	4524808935	black/slate matt
-----	-----	-------	------------	------------------

RADIUS

TOUR

Packtasche schon gepackt?

Wie riecht eigentlich der Frühling? Welche Farbe hat der Horizont an einem Nachmittag im September? Wie klingt eine Rohrdommel? Und wann schläft die Krähe? Wer sich mit dem Fahrrad in der Natur bewegt, kann viel erleben. Zudem schüttet unser Körper bereits nach 45 Minuten Serotonin und Endorphin aus, was zu einem absoluten Wohlbefinden führt. »Du kannst nicht unglücklich sein, während du Fahrrad fährst«, sagt ein Sprichwort. Hier ist der Weg das Ziel. Der Ostseeküstenradweg zum Beispiel bietet 270 km Glückshormone, der Ruhrtalradweg 230 km, die große Runde um den Bodensee 250 km, der Elberadweg 297 km und der Donauradweg 326 km.

Have you already packed your bag?

What are the real scents of springtime? What color is the horizon on a September afternoon? What does the song of the bittern sound like? When do crows sleep? People who ride their bicycles in nature can experience a lot. In addition, after just 45 minutes of riding, our bodies secrete serotonin and endorphins, which leads to a euphoric feeling of well-being. As the saying goes: "You simply can't be unhappy while riding a bicycle." Here are some routes for reaching your goal. The Baltic Sea coastal bike path, for instance, offers 270 km of happiness hormones, the Ruhr Valley bike path 230 km, the great loop around Lake Constance 250 km, the Elbe River bike path 297 km and the Donau River bike path 326 km.

T O U R



TOUR



KEY FEATURES

- Solide und bewährte Qualität
 - Vielseitige Touren-Sitzposition
 - AVS Trägersystem
-

KEY FEATURES

- *Solid and proven quality*
 - *Versatile touring position*
 - *AVS carrier*
-



BENEFITS

- Zuverlässige evergreen Plattform
- Bequemes Fahrgefühl auf mittellangen & langen Strecken
- Leichtes Befestigen von Zubehör (individuell je nach Kundenwunsch)

BENEFITS

- *Reliable, evergreen platform*
- *Comfort riding feeling for mid & long distances*
- *easy accessory-mount (and personalizing to the consumer usage)*



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwерfer / Front derailleur	Shimano Deore XT T8000
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 30-speed
Schalthebel / Shift lever	Shimano Deore T6000, rapidfire
Kettenradgarnitur / Crankset	Shimano Deore XT T8000, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano Deore XT BB70, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-34 teeth
Kette / Chain	KMC X10
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano hub dynamo 3D32
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 620mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Lancia
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 35 steady, stand light, 35 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano 3D32, 3W
Gepäckträger / Carrier	AtranVelo Tour, AVS
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	16.1kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4078030948	onyx black
Men	28"	52 cm	4078030952	onyx black
Men	28"	56 cm	4078030956	onyx black
Men	28"	60 cm	4078030960	onyx black
Women	28"	44 cm	4078130944	onyx black
Women	28"	48 cm	4078130948	onyx black
Women	28"	52 cm	4078130952	onyx black



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Alivio T4000
Schaltwerk / Rear derailleur	Shimano Deore XT M771, 27-speed
Schalthebel / Shift lever	Shimano Alivio M4000, rapidfire
Kettenradgarnitur / Crankset	Shimano Alivio T4010, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano ES300, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano hub dynamo 3D32
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Stainless spokes, black
Lenker / Handlebar	Ergobar, oversize 620mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Lancia
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 35, 35 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano 3D32, 3W
Gepäckträger / Carrier	AtranVelo Tour, AVS
Schutzbleche / Fenders	RPZ Evo, chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	16.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4077227948	black matt
Men	28"	52 cm	4077227952	black matt
Men	28"	56 cm	4077227956	black matt
Men	28"	60 cm	4077227960	black matt
Women	28"	44 cm	4077327944	black matt
Women	28"	48 cm	4077327948	black matt
Women	28"	52 cm	4077327952	black matt
Monotube	28"	46 cm	4077927946	black matt
Monotube	28"	50 cm	4077927950	black matt
Monotube	28"	54 cm	4077927954	black matt

TOUR

Domingo 24Disc



TOUR

Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour NEX, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwirfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano EF505, 160mm
Bremse hinten / Brake rear	Shimano EF505, 160mm
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle ajustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	aluminium, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Alivio T4050, 1.5W
Gepäckträger / Carrier	AtranVelo City, AVS
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4074024948	black/red transparent
Men	28"	52 cm	4074024952	black/red transparent
Men	28"	56 cm	4074024956	black/red transparent
Men	28"	60 cm	4074024960	black/red transparent
Men	28"	64 cm	4074024964	black/red transparent
Women	28"	44 cm	4074124944	black/red transparent
Women	28"	48 cm	4074124948	black/red transparent
Women	28"	52 cm	4074124952	black/red transparent
Women	28"	56 cm	4074124956	black/red transparent
Monotube	28"	46 cm	4074324946	black/red transparent
Monotube	28"	50 cm	4074324950	black/red transparent
Monotube	28"	54 cm	4074324954	black/red transparent

Domingo 24HS



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Altus M310, 24-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 500
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle adjustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	aluminium, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	AtranVelo City, AVS
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4073224948	dark blue/black matt
Men	28"	52 cm	4073224952	dark blue/black matt
Men	28"	56 cm	4073224956	dark blue/black matt
Men	28"	60 cm	4073224960	dark blue/black matt
Men	28"	64 cm	4073224964	dark blue/black matt
Women	28"	44 cm	4073524944	dark blue/black matt
Women	28"	48 cm	4073524948	dark blue/black matt
Women	28"	52 cm	4073524952	dark blue/black matt
Women	28"	56 cm	4073524956	dark blue/black matt
Monotube	28"	46 cm	4073824946	dark blue/black matt
Monotube	28"	50 cm	4073824950	dark blue/black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwirfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano Tourney TX800, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano TX800, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 500
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle ajustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	AtranVelo City, AVS
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4071024948	olive/black matt
Men	28"	52 cm	4071024952	olive/black matt
Men	28"	56 cm	4071024956	olive/black matt
Men	28"	60 cm	4071024960	olive/black matt
Women	28"	44 cm	4071124944	olive/black matt
Women	28"	48 cm	4071124948	olive/black matt
Women	28"	52 cm	4071124952	olive/black matt
Monotube	28"	46 cm	4071324946	olive/black matt
Monotube	28"	50 cm	4071324950	olive/black matt

TOUR

Domingo 21

Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwерfer / Front derailleur	Shimano Tourney TY510
Schaltwerk / Rear derailleur	Shimano TX800, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF40, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF40
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC TourX, 42-622, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Comfort bo2
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	StandWell CS051
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	Horn Catena 05-3
Ständer / Stand	Ursus Easy, adjustable
Gewicht / Weight	16.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4070221948	black/blue matt
Men	28"	52 cm	4070221952	black/blue matt
Men	28"	56 cm	4070221956	black/blue matt
Men	28"	60 cm	4070221960	black/blue matt
Women	28"	44 cm	4070521944	black/blue matt
Women	28"	48 cm	4070521948	black/blue matt
Women	28"	52 cm	4070521952	black/blue matt
Monotube	28"	46 cm	4070721946	black/blue matt
Monotube	28"	50 cm	4070721950	black/blue matt
Women	28"	44 cm	4070821944	tele grey/black
Women	28"	48 cm	4070821948	tele grey/black
Women	28"	52 cm	4070821952	tele grey/black
Monotube	28"	46 cm	4070921946	tele grey/black
Monotube	28"	50 cm	4070921950	tele grey/black

SPORTIVE

Her mit den Schotterwegen

»Das Leben ist wie Fahrrad fahren, um die Balance zu halten musst du in Bewegung bleiben,« wusste schon Albert Einstein. Und wir erlauben uns zu ergänzen: Fahrradfahren macht den Kopf frei, treibt den Puls in die Höhe, kurbelt unseren Stoffwechsel an und kann den Blutdruck senken. Auch Lunge und Gelenke profitieren von den zyklischen Bewegungsabläufen.

Bring on the gravel trails

"Life is like driving a bicycle: to maintain balance you need to stay in motion" is something that Albert Einstein realized. And we want to add this: Bicycle riding frees your mind, elevates your pulse, stokes our metabolism and can reduce blood pressure. The lungs and joints also benefit from cyclic patterns of movement.

SPORTIVE



SPORTIVE



KEY FEATURES

- Preis / Leistung
 - CrossBike mit Schutzblechen und Licht
 - Zuverlässige Domingo Plattform
 - Gepäckträgeraufnahmen vorhanden
-

KEY FEATURES

- *Price / performance*
 - *Crossbike with fenders & light*
 - *Reliable Domingo platform*
 - *Carrier Ready*
-



BENEFITS

- Bewährte Winora Qualität
- Für bessere Sicht
- Bewährtes Handling
- Individuelle Einstellungsmöglichkeiten nach persönlichen Wünschen

BENEFITS

- *Proven quality by Winora*
- *For better visibility*
- *Proven handling*
- *Individual adjustments for individual usage*



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	SR Suntour NEX HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Acera T3000
Schaltwerk / Rear derailleur	Shimano Alivio T4000, 27-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano M371, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano EF505, 160mm
Bremse hinten / Brake rear	Shimano EF505, 160mm
Reifen / Tyres	XLC MountainX, 42-622
Felgen / Rims	X-Pert X6, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Sport bo2 screw grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 9280 Ahead
Sattel / Saddle	Winora Sport
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Alivio T4050, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4093627948	mysterypearl matt
Men	28"	52 cm	4093627952	mysterypearl matt
Men	28"	56 cm	4093627956	mysterypearl matt
Men	28"	60 cm	4093627960	mysterypearl matt
Women	28"	44 cm	4093727944	mysterypearl matt
Women	28"	48 cm	4093727948	mysterypearl matt
Women	28"	52 cm	4093727952	mysterypearl matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 63mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano Tourney TX800, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano TX800, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC MountainX, 42-622
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 500
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Sport bo2 screw grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 9280 Ahead
Sattel / Saddle	Winora Sport
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4093024948	black matt
Men	28"	52 cm	4093024952	black matt
Men	28"	56 cm	4093024956	black matt
Men	28"	60 cm	4093024960	black matt
Women	28"	44 cm	4093124944	black matt
Women	28"	48 cm	4093124948	black matt
Women	28"	52 cm	4093124952	black matt

Vatoa 21



Abb. ähnlich /
Illustration similar

SPORTIVE

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 63mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY510
Schaltwerk / Rear derailleur	Shimano TX800, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 28-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	XLC MountainX, 42-622
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	Ergoriser
Griffe / Grips	XLC Sport bo2 screw grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 9280 Ahead
Sattel / Saddle	Winora Sport
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4090221048	black/green
Men	28"	52 cm	4090221052	black/green
Men	28"	56 cm	4090221056	black/green
Men	28"	60 cm	4090221060	black/green
Women	28"	44 cm	4090321044	black/green
Women	28"	48 cm	4090321048	black/green
Women	28"	52 cm	4090321052	black/green

URBAN

Holt euch die Stadt zurück

Nachhaltige Urbanisierung gilt als eine der größten Herausforderungen des 21. Jahrhunderts. Es ist an uns zu überdenken, wie wir unsere Städte gestalten und vor allem: wie wir uns in ihnen fortbewegen wollen. Wer auf dem Weg zur Arbeit Staus und überfüllte U- und S-Bahnen meiden möchte, fährt schon heute längst mit dem Fahrrad. Wichtig dabei ist die richtige Ausrüstung: Helm, Schutz vor Wind und Regen, eine verkehrstaugliche Beleuchtung, ein sicheres Schloss, ein wenig Werkzeug für kleinere Pannen und natürlich: eines unserer ebenso funktionalen wie stylischen URBAN Modelle.

Reclaim the city

Sustainable urbanization is considered one of the greatest challenges of the 21st century. We are faced with the task of rethinking how we design our cities, and above all: we want to be mobile in them. These days, people wanting to avoid traffic jams and overcrowded subways and city trains on their commute have long opted for the bicycle. What is important here is to choose the right equipment: A helmet, wind and rain protection, proper lighting for traffic, a reliable lock, a few tools for minor breakdowns, and of course: one of our URBAN bike models, which are as functional as they are stylish.

UR BA IN



URBAN



KEY FEATURES

- Kein QR Code
 - Elegantes und leichtes Design
 - AVS Trägersystem
-

KEY FEATURES

- No QR
 - Sleek & lightweight
 - AVS carrier
-



BENEFITS

- Diebstahlsicherung
- Einfaches Handling für genussvolles Fahren
- Leichtes Befestigen von Zubehör
(individuell je nach Kundenwunsch)

BENEFITS

- Prevent theft
- Easy handling for enjoyable riding
- easy accessory-mount (and personalizing
to the consumer usage)



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Alivio T4000
Schaltwerk / Rear derailleur	Shimano Deore M591, 27-speed
Schalthebel / Shift lever	Shimano Alivio M4000, rapidfire
Kettenradgarnitur / Crankset	Shimano Alivio T4010, aluminium, 26-48 teeth
Innenlager / Bottom bracket	Shimano ES300, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-34 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Tektro M285, aluminium
Bremse vorne / Brake front	Tektro M285, 180mm
Bremse hinten / Brake rear	Tektro M285, 160mm
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline Corsa, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano hub dynamo 3D32
Hinterradnabe / Rear wheel hub	alu hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Milo
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA BlueLine, stand light, 30 lux
Rücklicht / Rear light	AXA BlueLine Steady, stand light
Dynamo / Dynamo	Shimano 3D32, 3W
Gepäckträger / Carrier	AtranVelo Urban, AVS
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	14.7kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4057027846	olive matt
Men	28"	51 cm	4057027851	olive matt
Men	28"	56 cm	4057027856	olive matt
Men	28"	61 cm	4057027861	olive matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 8-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Lasco, aluminium, 42 teeth
Innenlager / Bottom bracket	Thun Basic, BSA
Zahnkranz (hinten) / Sprocket	pinion, 21 teeth
Kette / Chain	KMC Z1 Narrow EPT
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline 18x2, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Winora Urban Retro
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	13.8kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4055008846	iron grey matt
Men	28"	51 cm	4055008851	iron grey matt
Men	28"	56 cm	4055008856	iron grey matt
Men	28"	61 cm	4055008861	iron grey matt
Women	28"	41 cm	4055108841	iron grey matt
Women	28"	46 cm	4055108846	iron grey matt
Women	28"	51 cm	4055108851	iron grey matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, hydroformed
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, rapidfire
Kettenradgarnitur / Crankset	Lasco, aluminium, 42 teeth
Innenlager / Bottom bracket	Thun Basic, BSA
Zahnkranz (hinten) / Sprocket	pinion, 21 teeth
Kette / Chain	KMC Z1 Narrow EPT
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline 18x2, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Selle Royal Milo
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	AtranVelo Urban, AVS
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	14.6kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4053007846	black matt
Men	28"	51 cm	4053007851	black matt
Men	28"	56 cm	4053007856	black matt
Men	28"	61 cm	4053007861	black matt
Women	28"	41 cm	4053107841	black matt
Women	28"	46 cm	4053107846	black matt
Women	28"	51 cm	4053107851	black matt
Monotube	28"	46 cm	4053707846	black matt
Monotube	28"	50 cm	4053707850	black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY710
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF500, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY501, aluminium, 28-48 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG31, 11-32 teeth
Kette / Chain	KMC X8
Bremshebel / Brake lever	Shimano EF500, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	Schwalbe Little Big Ben, 40-622, reflex
Felgen / Rims	Rodi Airline 18x2, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TX 800, cassette hub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Dura Cork
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	VP Z104PE
Sattel / Saddle	Winora Urban Retro
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	AXA Blueline, 30 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	Metasol Urban, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	13.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	46 cm	4050024846	onyx black matt
Men	28"	51 cm	4050024851	onyx black matt
Men	28"	56 cm	4050024856	onyx black matt
Men	28"	61 cm	4050024861	onyx black matt
Women	28"	41 cm	4050124841	onyx black matt
Women	28"	46 cm	4050124846	onyx black matt
Women	28"	51 cm	4050124851	onyx black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	HiTen
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Innenlager / Bottom bracket	FAG compact inner bearings, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z610
Kettenblatt / Chainring	steel, FSA, 18
Bremshebel / Brake lever	Magura HS11
Bremse vorne / Brake front	Magura HS11
Bremse hinten / Brake rear	Magura HS11, coaster brake
Reifen / Tyres	Schwalbe Marathon Plus, 47-559, puncture protection, reflex
Felgen / Rims	Ryde X-Pace, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	city handlebar
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	VP MH501
Sattel / Saddle	Selle Royal Country
Sattelstütze / Seat post	straight, 28.6mm, aluminium
Pedale / Pedals	FP-920B
Scheinwerfer / Headlight	Trelock Bike-I Retro, 15 lux
Rücklicht / Rear light	Trelock Duo, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Schutzbleche / Fenders	stainless steel
Gewicht / Weight	26.2kg
Zul. Gesamtgewicht / Permitted total weight	140kg
Bicycle type	cargo bike

26"



ARTIKELNUMMER / ORDER NUMBER

Monotube 26" 48 cm 4059367748 black matt

COMFORT

Das Glück hat Pedale

Der gesellschaftliche Trend zum Cocooning, zum Rückzug ins Private, beeinflusst auch die Dinge, mit denen wir uns umgeben, die wir täglich benutzen und gebrauchen. Bequem sollen sie sein und möglichst komfortabel. Wir wollen uns wohlfühlen. Auch auf dem Fahrrad. Neben dem Wunsch nach Bewegung, Sport und Herausforderungen gibt es auch eine Sehnsucht nach dem Weglassen und dem Vereinfachen. Daran haben sich auch unsere Designer gehalten. Die COMFORT Modelle bestechen durch die Maxime: so viel wie nötig und so wenig wie möglich.

Happiness has pedals

The societal trend towards cocooning, a retreat into the personal sphere, also affects the things that we surround ourselves with – the things we use and need daily. They should be as comfortable and convenient as possible. We want to feel good. On a bicycle too. Along with seeking movement, sports activity and fun challenges, there is also a desire to leave everything behind and to simplify everyday living. Our designers have also followed these principles. The COMFORT models appeal with their goal of offering as much as necessary and as little as possible.

COM FOR T



COMFORT



KEY FEATURES

- Preis / Leistung City Bikes
 - Aufrechte Sitzposition
-



BENEFITS

- Bewährte Winora Qualität
- Bequemer Fahrkomfort für mittellange & lange Strecken

KEY FEATURES

- *Price / performance city bikes*
 - *Upright riding position*
-

BENEFITS

- *Proven quality by Winora*
- *Comfort riding feeling for mid & long distances*



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour CR 7V-A adjustable, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z30
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	city handlebar
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, angle adjustable
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Bassano Volare City XL
Sattelstütze / Seat post	suspension straight, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	AXA Mach1
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	17.2kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4063007948	black
Men	28"	52 cm	4063007952	black
Men	28"	56 cm	4063007956	black
Men	28"	60 cm	4063007960	black
Women	28"	44 cm	4063107944	black
Women	28"	48 cm	4063107948	black
Women	28"	52 cm	4063107952	black
Wave	26"	43 cm	4063307943	black
Wave	28"	43 cm	4063507943	black
Wave	28"	48 cm	4063507948	black
Wave	28"	53 cm	4063507953	black
Wave	28"	57 cm	4063507957	black
Monotube	26"	42 cm	4063707942	black
Monotube	28"	45 cm	4063907945	black
Monotube	28"	50 cm	4063907950	black
Monotube	28"	55 cm	4063907955	black
Monotube	26"	42 cm	4064307042	lime
Monotube	28"	45 cm	4064507045	lime
Monotube	28"	50 cm	4064507050	lime
Monotube	28"	55 cm	4064507055	lime

COMFORT

Hollywood N7



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Zoom Enjoy, steel spring, Travel: 30mm
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z30
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	city handlebar
Griffe / Grips	ergonomic grips
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	VP MH308E
Sattel / Saddle	Selle Royal Star
Sattelstütze / Seat post	straight, 30.4mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	AXA Mach1
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	16.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

Monotube	26"	42 cm	4062307942	black matt
Monotube	28"	45 cm	4062507945	black matt
Monotube	28"	50 cm	4062507950	black matt
Monotube	28"	55 cm	4062507955	black matt
Monotube	26"	42 cm	4062707942	white
Monotube	28"	45 cm	4062907945	white
Monotube	28"	50 cm	4062907950	white
Monotube	28"	55 cm	4062907955	white



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, multiformed
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC Z30
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Felgen / Rims	X-Pert X3, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	Stainless spokes
Lenker / Handlebar	city handlebar
Griffe / Grips	XLC Comfort bo2, with wrist rest
Vorbau / Stem	aluminium, inner clamping, Bar bore: 25.4mm
Steuersatz / Headset	CH-919
Sattel / Saddle	Selle Bassano Volare City XL
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	VP 872 plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA BlueLine Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	chromoplastics
Kettenschutz / Chain guard	AXA Mach1
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	16.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28"



ARTIKELNUMMER / ORDER NUMBER

Ultralow	26"	42 cm	4061103942	darkblue
Ultralow	28"	46 cm	4061303946	darkblue
Ultralow	28"	52 cm	4061303952	darkblue

KIDS / ATB

Hoffentlich ist es noch weit

Kinder- und Jugendräder zu entwickeln, liegt in unserer DNA. Engelbert Wiener, der Gründer von Winora, baute 1921 von Hand die ersten Fahrräder für seine Töchter Thea und Martha. Dies war eine kleine Sensation, denn es gab zu dieser Zeit noch keine Serienfahrräder für Kinder und Jugendliche. Wiener wollte ganz einfach, dass auch seine beiden Töchter sich eigenständig auf zwei Rädern fortbewegen und das wunderbare Gefühl des Radfahrens erleben konnten – ganz ohne Stützräder. In dieser Tradition stehen auch unsere Bikes für Kinder und Jugendliche: bereit für kleine und große Entdeckungstouren.

How much further is it?

It is part of our DNA to develop bicycles for children and youth. Engelbert Wiener, the founder of Winora, built his first bicycles by hand in 1921 for his daughters Thea and Martha. This caused a minor sensation, because there were still no production bicycles for children or youth in those days. Quite simply, Wiener wanted to have his two daughters be able to ride independently on two wheels and experience the wonderful feeling of bicycling – without any training wheels. The bikes we offer for children and youth today follow in this tradition; they are bikes that are ready for short and long tours of discovery.

KI DS/ ATB



ATB / KIDS



KEY FEATURES

- Unisex & Plattform mit tiefem Einstieg
- Bessere Bodenfreiheit
- Sichere Lichtanlage mit Dynamo und LED
- Leicht (kundenspezifischer Rohrsatz nach Größe)

KEY FEATURES

- *Unisex & lowstep platform*
- *Improved clearance*
- *Safe light system with dynamohub and LED*
- *Lightweight (custom tubing by size)*



BENEFITS

- Vermeidung von Verletzungen
- Mehr Sicherheit im Straßenverkehr
- Wartungsfrei
- Das Rad, das mit Ihrem Kind mitwächst

BENEFITS

- *Avoid injuries*
- *More safety in traffic*
- *Maintenance free*
- *The bike that grows with your kid*



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	26"	35 cm	4044021935	black matt
ATB	26"	40 cm	4044021940	black matt
ATB	26"	45 cm	4044021945	black matt
ATB	26"	50 cm	4044021950	black matt
ATB	26"	35 cm	4044121935	platinum blue
ATB	26"	40 cm	4044121940	platinum blue
ATB	26"	45 cm	4044121945	platinum blue
ATB	26"	50 cm	4044121950	platinum blue



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	12.8kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4023221932	blue
ATB	24"	32 cm	4023021932	olive matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltwerk / Rear derailleur	Shimano TZ500, 6-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382, 50-406, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	upgradable
Schutzbleche / Fenders	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	10.9kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	20"	27 cm	4013006927	red
ATB	20"	27 cm	4013206927	onyx black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Kettenradgarnitur / Crankset	32 teeth
Innenlager / Bottom bracket	VP BC73, BSA
Zahnkranz (hinten) / Sprocket	pinion, 18 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	kids brake lever, adjustable grip width, adjustable grip width
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	-, coaster brake
Reifen / Tyres	CST C-1382N, 57-305
Felgen / Rims	XLC Strong, aluminium
Vorderradnabe / Front wheel hub	SF HB29
Hinterradnabe / Rear wheel hub	KT coaster brake hub
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 281
Sattel / Saddle	Winora Kid S
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Pedale / Pedals	kids' pedal plastic, non-slip
Schutzbleche / Fenders	plastic
Kettenschutz / Chain guard	Hebie Chainlooper
Gewicht / Weight	8.5kg
Zul. Gesamtgewicht / Permitted total weight	45kg
Bicycle type	bikes for kids and teenagers

16"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	16"	21 cm	4003201921	lime
ATB	16"	21 cm	4003401921	purple



Abb. ähnlich /
Illustration similar



SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Bremse hinten / Brake rear	-
Reifen / Tyres	CY H506, 47-203
Felgen / Rims	XLC CY, aluminium
Vorderradnabe / Front wheel hub	SF HB29
Hinterradnabe / Rear wheel hub	SF HB29
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	CH 281
Sattel / Saddle	Winora Kid S
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Gewicht / Weight	4.4kg
Zul. Gesamtgewicht / Permitted total weight	30kg
Bicycle type	training bike for kids

12"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	12"	15 cm	4001200915	cyan matt
ATB	12"	15 cm	4001400915	hot pink



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	16.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26"



ARTIKELNUMMER / ORDER NUMBER

ATB	26"	35 cm	4043267935	anthracite
ATB	26"	40 cm	4043267940	anthracite
ATB	26"	45 cm	4043267945	anthracite
ATB	26"	50 cm	4043267950	anthracite



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.9kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	26"	35 cm	4043021935	anthracite
ATB	26"	40 cm	4043021940	anthracite
ATB	26"	45 cm	4043021945	anthracite
ATB	26"	50 cm	4043021950	anthracite
ATB	26"	35 cm	4043121935	darkblue
ATB	26"	40 cm	4043121940	darkblue
ATB	26"	45 cm	4043121945	darkblue
ATB	26"	50 cm	4043121950	darkblue

Dash 24 7-Gang



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.5kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4022007932	lime matt
-----	-----	-------	------------	-----------



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"



ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4022003932	lime matt
-----	-----	-------	------------	-----------

Dash 24 21-Gang



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Umwерfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"

2

VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4022221932	white
ATB	24"	32 cm	4022021932	lime matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382, 50-406, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	13.4kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20"



VARIATIONEN / VARIATIONS



ARTIKELNUMMER / ORDER NUMBER

ATB	20"	27 cm	4012003927	ocean blue matt
ATB	20"	27 cm	4012203927	white



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15.5kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26"



ARTIKELNUMMER / ORDER NUMBER

ATB	26"	38 cm	4042707938	black matt
ATB	26"	44 cm	4042707944	black matt



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA BlueLine Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26"



ARTIKELNUMMER / ORDER NUMBER

ATB	26"	38 cm	4042703938	black matt
ATB	26"	44 cm	4042703944	black matt

Chica 26 21-Gang



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1437, 53-559, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora ATB
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	15kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26"



ARTIKELNUMMER / ORDER NUMBER

ATB	26"	38 cm	4042721938	onyx black matt
ATB	26"	44 cm	4042721944	onyx black matt

Chica 24 7-Gang



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 7-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.7kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"



ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4021507932	cyan matt
-----	-----	-------	------------	-----------

Chica 24 3-Gang



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	13.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"

2

ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4021503932	cyan matt
-----	-----	-------	------------	-----------



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ31, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake
Reifen / Tyres	CST C-1382N, 53-507, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	aluminium hub, sealed
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA BlueLine Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	14.2kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24"



ARTIKELNUMMER / ORDER NUMBER

ATB	24"	32 cm	4021521932	pearl white
-----	-----	-------	------------	-------------

Chica 20 3-Gang



Abb. ähnlich /
Illustration similar

SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltung / Gear shift	Shimano Nexus, 3-speed
Schalthebel / Shift lever	Shimano Nexus, twist shifter
Kettenradgarnitur / Crankset	Prowheel aluminium crank, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	pinion, 19 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, aluminium
Bremse vorne / Brake front	V-Brake
Bremse hinten / Brake rear	V-Brake, coaster brake
Reifen / Tyres	CST C-1382, 50-406, reflex
Felgen / Rims	XLC FW, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano Nexus
Speichen / Spokes	black, black
Lenker / Handlebar	ATB handlebar
Griffe / Grips	kid's grips
Vorbau / Stem	aluminium, A-head
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Winora Kid M
Sattelstütze / Seat post	patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	AXA Compactline 20, 20 lux
Rücklicht / Rear light	AXA Blueline Steady, stand light
Dynamo / Dynamo	Shimano Nexus C3000, 1.5W
Gepäckträger / Carrier	with spring clamp
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Kettenschutz / Chain guard	plastic
Ständer / Stand	aluminium, adjustable
Gewicht / Weight	12.5kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20"



ARTIKELNUMMER / ORDER NUMBER

ATB	20"	27 cm	4011703927	neon pink
-----	-----	-------	------------	-----------

FAHRZEUGKATEGORIEN

CATEGORIES OF VEHICLES



Fahrzeuge der Kategorie 0 sind in der Regel Kinderspielräder 12" und Kinderräder 12" und 16".

Vehicles in category 0 are usually 12" children's play bikes and 12" and 16" children's bikes.



Fahrzeuge der Kategorie 1 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Rennrad oder Fitness Bike (Urban Bike).

Vehicles in category 1 are usually bikes, Pedelecs and S-Pedelecs that are racing bikes or fitness bikes (urban bikes).



Fahrzeuge der Kategorie 2 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs City-, Trekking-, Cross-Trekking- oder Lastenrad, außerdem Jugendräder 24" und Kinderräder 20".

Vehicles in category 2 are usually bikes, Pedelecs and S-Pedelecs that are city, trekking, cross-trekking or cargo bikes, as well as 24" bikes for young people and 20" children's bikes.



Fahrzeuge der Kategorie 3 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Cross Country, Marathon und Tour, sowie Fahrräder aus den Bereichen Cyclo-Cross und All Track.

Vehicles in category 3 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for cross country, marathon and tour riding, as well as all Cyclo-Cross and All Track bikes.



Fahrzeuge der Kategorie 4 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Allmountain.

Vehicles in category 4 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for all mountain riding.



Fahrzeuge der Kategorie 5 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Enduro/Freeride/Downhill.

Vehicles in category 5 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for Enduro, Freeride and Downhill riding.



Bitte lesen Sie die Betriebsanleitungen.

Please read the operating instructions.

The background is a close-up photograph of a bicycle's handlebars and frame, heavily tinted with a vibrant red color. The image shows the upper part of the bike, including the handlebars, a bell, and the front fork. The text 'AWARDS' is superimposed in large, white, serif capital letters, centered vertically and horizontally over the image.

AWARDS

AWARDS

Fahrräder liegen in unserer DNA.

Immerhin fertigte der Gründer von WINORA 1921 die ersten serienreifen Kinderräder per Hand für seine beiden Töchter Thea und Martha. Seitdem hat sich einiges getan. Unsere Städte und Lebensräume sind im ständigen Wandel, die Technik schreitet immer weiter voran und auch das Fahrrad als Fortbewegungsmittel bleibt nicht stehen. Es gibt aber auch Dinge, die sich für uns nie ändern. Wir bauen Fahrräder und eBikes, die eine lange Tradition haben und seit eh und je für Qualität und absolute Sicherheit stehen. All das verpacken wir natürlich in moderne Designs, die angefangen vom Kinderfahrrad bis zum hochwertigen E-Bike Menschen jeden Alters begeistern. Bestätigt wird unser Handeln immer wieder mit renommierten Auszeichnungen und Preisen, die uns dazu antreiben, das Rad auch in Zukunft immer wieder neu zu erfinden.

Bikes are in our DNA.

After all, the founder of WINORA produced the first series-ready kids' bikes by hand for his two daughters Thea and Martha in 1921. A lot has happened since then. Our cities and living spaces are constantly changing, technology is advancing and even the bike as a means of transport does not stand still. But there are also things that will never change for us. We build bikes and eBikes that have a long tradition and have always stood for quality and absolute safety. Of course, we pack all this into modern designs that inspire people of all ages, from kids' bikes to high-quality eBikes. Our concept is confirmed again and again by renowned awards and prizes, which drive us to continuously reinvent the wheel in the future.

Winora Sinus iRX 14



GERMAN
DESIGN
AWARD
SPECIAL
2019



Awards

2019 German Design Award - Sinus iSerie

„Wie Batterie und Antrieb in das Rahmendesign integriert wurden, gelang auf hohem gestalterischem Niveau. Ein elegantes Design, das dynamisch und modern wirkt und mit clever gelösten Details überzeugt.“

2018 "Deutschlands begerteste Marke "

WINORA wurde vom F.A.Z.-Institut als eine der begertesten Marken Deutschlands ausgezeichnet. Insgesamt wurden 2.400 deutsche Marken aus den verschiedensten Branchen untersucht. In der Kategorie Fahrradhersteller erhielten zwei Marken diese Auszeichnung: Winora und Ghost, die beide zur niederländischen Accell Group gehören.

2018 "Preis-Sieger 2018 Gold "

WINORA wurde von Focus Money (Focus 46/18) als Preis-Sieger 2018 in Gold ausgezeichnet. Insgesamt ging die Prämierung in der Rubrik Fahrrad an drei Marken, den ersten Platz belegte WINORA mit 100 Punkten und setzt damit die Benchmark für alle anderen untersuchten Marken. Die restlichen Hersteller erhielten Bronze.

2018 German Design Award - Sinus iSerie

„The way in which the battery and the drive unit were integrated into the frame design was successful at a high design level. An elegant design that looks dynamic and modern and convinces with clever details.“

2018 "Germany's most popular brand"

WINORA was awarded in 2018 by the F.A.Z. Institute as one of the most popular brands in Germany. A total of 2,400 German brands from various industries were examined. In the category bicycle manufacturers, two brands received this award: Winora and Ghost, both of which are part of the Dutch Accell Group.

2018 "best price-performance ratio" Gold

Winora was awarded gold by the magazine Focus Money (Focus 46/18) as the 2018 winner in the category "best price-performance ratio". This award was given to three brands from which WINORA reached first place with 100 points setting the benchmark for all analysed brands. The remaining bike manufacturers were awarded bronze.

A person is riding a bicycle, with the image overlaid in a solid red color. The person's hands are on the handlebars, and their legs are in motion. The bicycle's frame, handlebars, and front wheel are visible.

MOTORS/ DISPLAYS 2020

MODULAR RAIL SYSTEM (MRS)*:

Für noch mehr und noch längeren Fahrspaß setzt Du mit dem DualBattery System noch einen Akku oben drauf: Ohne Nachzuladen und mit nur wenigen Handgriffen steigertest Du deine Reichweite auf maximal 1000 Wh Kapazität. Ein einfaches Handling garantiert dabei unser patentiertes Modular Rail System (MRS), über das in wenigen Sekunden ein zusätzlicher Bosch PowerPack installiert werden kann.

› Dual Battery: 500 + 500 Wh = 1000Wh max. Kapazität

You want even more and longer riding fun? Our DualBattery system is the next stage: Without charging and with a few simple steps, you extend your range to a maximum of 1000Wh capacity. Our patented Modular Rail System (MRS) ensures simple handling. Few small work steps are enough to mount an additional Bosch PowerPack.

› Dual Battery: 500Wh + 500Wh = 1000Wh max. capacity

BOSCH GEN 4

Vielfältiger Reichweitenheld

**Dynamischer
Fahrspaß
garantiert.**

**Dynamic riding
fun guaranteed!**

„Man soll aufhören, wenn es am schönsten ist“, heißt es im Volksmund. Das sehen wir allerdings anders und entwickeln stattdessen lieber E-Bikes mit smarten Konzepten, die deinen Fahrspaß in Sekundenschnelle verlängern. Mit unseren neuen Sinus iX-Modellen und der neuesten Bosch Generation kannst Du in deinem Alltag und deiner Freizeit jederzeit durchstarten – und musst natürlich nicht aufhören, wenn es am schönsten ist.

› **Neuer Motor:**
25 % leichter, 48 % kleiner & weniger Pedalwiderstand

Das neue Kraftpaket der Performance Line CX ist nicht nur um 25 % leichter und 48 % kleiner, sondern bietet dir mit seinem geringen Pedalwiderstand auch noch ein angenehm natürliches Fahrgefühl.

Versatile range hero

According to a German saying, you should quit when it is most fun. We don't agree. Instead, we develop eBikes with smart concepts which extend riding fun every second. With our new Sinus iX models and the latest Bosch generation, you can hit it off anytime and, of course, you don't have to quit when it's most fun.

› **New motor:**
25 % lighter, 48 % smaller and less pedal resistance

The new power pack of the Performance Line CX is not only 25% lighter and 48% smaller but also offers comfortable natural riding comfort due to its low pedal resistance.

* SINUS iX10 & SINUS iX12 / RANGE EXTENDER OPTIONAL



**Ideal für
entspannte
Touren.**
for relaxed tours

ACTIVE LINE

- › 2.9 kg
- › 250 Watt 250 W
- › bis 40 Nm up to 40 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h

ACTIVE LINE PLUS

- › 3.2 kg
- › 250 Watt 250 W
- › bis 50 Nm up to 50 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h



**NEW
GEN 4!**

**Dynamischer
Fahrspaß
garantiert.**
For dynamic
tours.

PERFORMANCE CRUISE

- › < 4 kg
- › 250 Watt 250 W
- › bis 70 Nm up to 70 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h

PERFORMANCE CX

- › < 4 kg
- › 250 Watt 250 W
- › bis 75 Nm up to 75 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h

► BOSCH Motors/Displays 2020



**Alle
Funktionen
auf einen
Blick**
Overview of all
functions



INTUVIA

- › Geschwindigkeit *Speed*
- › Durchschnittl. Geschwindigkeit
Average bicycle speed
- › Max. Geschwindigkeit *Maximum bicycle speed*
- › Akkukapazität (%) *Battery capacity*
- › Gesamtkilometer *Odometer*
- › 4 Unterstützungsmodi *4 Assist modes*
- › Tagesfahrzeit *Daily trip time*
- › Uhrzeit *Clock*
- › Tageskilometer *Trip meter*
- › Reichweite *Range*
- › Beleuchtung Display *lightning display*
- › Walk-Assistent *Walk-Assistant*
- › USB Schnittstelle *USB*

PURION

- › Geschwindigkeit *Speed*
- › Akkukapazität (%) *Battery capacity*
- › Gesamtkilometer *Odometer*
- › 5 Unterstützungsmodi *5 Assist modes*
- › Tageskilometer *Trip meter*
- › Reichweite *Range*
- › Beleuchtung Display *lightning display*
- › Walk-Assistent *Walk-Assistant*

KIOX

- › Geschwindigkeit *Speed*
- › Akkukapazität (%) *Battery capacity*
- › Gesamtkilometer *Odometer*
- › 5 Unterstützungsmodi *5 Assist modes*
- › Tageskilometer *Trip meter*
- › Reichweite *Range*
- › Beleuchtung Display *lightning display*
- › Walk-Assistent *Walk-Assistant*



SIDE SWITCH

- › Geschwindigkeit *Speed*
- › Unterstützungsmodus *Assist mode*
- › Akkukapazität (%) *Battery capacity*
- › Gesamtkilometer *Odometer*
- › Tageskilometer *Trip meter*
- › Reichweite *Range*

Alle Funktionen auf einen Blick
Overview of all functions



MULTI SWITCH

- › Geschwindigkeit *Speed*
- › Durchschnittl. Geschwindigkeit *Average bicycle speed*
- › Max. Geschwindigkeit *Maximum bicycle speed*
- › Unterstützungsmodus *Assist mode*
- › Unterstützungsleistung *Assist power meter*
- › Akkukapazität (%) *Battery capacity*
- › Gesamtkilometer *Odometer*
- › Tageskilometer *Trip meter*
- › Reichweite *Range*
- › Uhrzeit *Clock*
- › Trittfrequenz *Cadence*
- › Kalorienverbrauch *Calorie Consumption*
- › Navigation: Schritt-für-Schritt *Navigation: Turn by Turn*
- › Fitness *Fitness*
- › Bluetooth®
- › Kompass *Compass*



LCD-X

- › Geschwindigkeit *Speed*
- › Durchschnittl. Geschwindigkeit *Average bicycle speed*
- › Max. Geschwindigkeit *Maximum bicycle speed*
- › Unterstützungsmodus *Assist mode*
- › Unterstützungsleistung *Assist power meter*
- › Akkukapazität (%) *Battery capacity*
- › Gesamtkilometer *Odometer*
- › Tageskilometer *Trip meter*
- › Reichweite *Range*
- › Uhrzeit *Clock*
- › Trittfrequenz *Cadence*
- › Stoppuhr *Stopwatch*
- › Bluetooth®

YAMAHA Motors/Displays 2020

Für jeden die passende Unterstützung
The right support for everyone



PW-TE

- › 3.4 kg
- › 250 Watt 250 W
- › bis 60 Nm up to 60 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h

› mit Komfort und Fahrstabilität der ideale Motor in der Stadt

› with comfort and driving stability the perfect motor in the city

PW-SE / PW-ST

- › 3.5 kg / 3.4 kg
- › 250 Watt 250 W
- › bis 70 Nm up to 70 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h

› geschmeidig und kraftvoll für Stadtalltag oder spannende Touren

› smooth and powerful for everyday life in the city or exciting tours

PW-X2

- › 3.1 kg
- › 250 Watt 250 W
- › bis 80 Nm up to 80 Nm
- › Unterstützt bis 25 km/h
Max. support speed 25 km/h

› leiser und doch leistungsstarker Motor für anspruchsvolle Touren

› quiet but powerful motor for challenging tours






RAHMEN- GEOMETRIEN // GEOMETRIES


Rahmengenometrien

Geometry and data charts


HERREN-RAHMEN / GENT-FRAME




DAMEN-RAHMEN / WOMEN-FRAME



EINROHR-RAHMEN / MONOTUBE-FRAME



WAVE / WAVE-FRAME




Legende / Key


- A** SITZROHRLÄNGE / RAHMENHÖHE / SEATTUBE LENGTH / FRAMESIZE
- B** SITZROHRWINKEL / SEATTUBE ANGLE
- C** STEUERROHRLÄNGE / HEADTUBE LENGTH
- D** LENKWINKEL / HEADTUBE ANGLE
- E** OBERROHRLÄNGE HORIZONTAL / TOPTUBE LENGTH HORIZONTAL
- F** KETTENSTREBENLÄNGE / CHAINSTAY LENGTH
- G** RADSTAND / WHEELBASE
- H** ÜBERSTAND / DURCHSTIEG / EXESS LENGTH ACCESS

KIDS / ATB



ATB-RAHMEN / ATB-FRAME



Y-RAHMEN / Y-FRAME



EINROHR-RAHMEN / MONOTUBE-FRAME



Rahmengeometrien eBikes

Geometry and data charts eBikes

SINUS

i9 / i10

		HERREN				DAMEN				EINROHR			
Laufradgröße		28"	28"	28"	28"	28"	28"	28"	28"	26"	28"	28"	28"
Rahmengröße		48	52	56	60	44	48	52	56	46	46	50	54
Sitzwinkel (°)	B	73°	73°	73°	73°	73°	73°	73°	73°	75°	75°	75°	75°
Steuerrohrlänge (mm)	C	155	150	160	175	155	160	160	175	180	180	185	195
Lenkwinkel (°)	D	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70°	70°	70°	70°
Oberrohrlänge (mm)	E	585	600	615	630	560	585	600	615	610	610	620	630
Kettenstrebenlänge (mm)	F	475	475	475	475	475	475	475	475	462	490	490	490
Radstand (mm)	G	1092	1107	1122	1138	1067	1092	1107	1123	1120	1143	1153	1164
Überstand/Durchstieg (cm)	H	77	78,5	81	85	64	64	64	64	-	44	44	44

iR380 / iR8(f)

		HERREN				DAMEN			EINROHR			EINROHR			
Laufradgröße		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	26"	28"	28"	28"
Rahmengröße		48	52	56	60	44	48	52	46	50	54	46	46	50	54
Sitzwinkel (°)	B	73°	73°	73°	73°	73°	73°	73°	75°	75°	75°	75°	75°	75°	75°
Steuerrohrlänge (mm)	C	155	150	160	175	155	160	160	180	185	195	180	180	185	195
Lenkwinkel (°)	D	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70°	70°	70°	70°	70°	70°	70°
Oberrohrlänge (mm)	E	585	600	615	630	560	585	600	610	620	630	610	610	620	630
Kettenstrebenlänge (mm)	F	475	475	475	475	475	475	475	498	498	498	462	490	490	490
Radstand (mm)	G	1092	1107	1122	1138	1067	1092	1107	1151	1161	1172	1120	1143	1153	1164
Überstand/Durchstieg (cm)	H	77	80	83	86	60	66	66	44	44	66	-	44	44	44

iN5(f) / iN7(f) / iN8(f)

iX10 / iX12

		HERREN				DAMEN			EINROHR		
Laufradgröße		27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"
Rahmengröße		48	52	56	60	44	48	52	46	50	54
Sitzwinkel (°)	B	73°	73°	73°	73°	73°	73°	73°	73,5°	73,5°	73,5°
Steuerrohrlänge (mm)	C	155	155	160	175	155	160	160	180	185	195
Lenkwinkel (°)	D	70.5°	70.5°	70.5°	70.5°	69°	70.5°	70.5°	70.5°	70.5°	70.5°
Oberrohrlänge (mm)	E	585	600	615	630	580	585	600	610	620	630
Kettenstrebenlänge (mm)	F	475	475	475	475	475	475	475	480	480	480
Radstand (mm)	G	1114	1129	1144	1159	1126	1114	1129	1151	1161	1172
Überstand/Durchstieg (cm)	H	-	-	-	-	-	-	-	-	-	-

Rahmengeometrien eBikes

Geometry and data charts eBikes

SINUS TRIA

7eco / 8 / 9 / 10

10

		HERREN				DAMEN			DAMEN			
Laufradgröße		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
Rahmengröße		48	52	56	60	44	48	52	44	48	52	56
Sitzwinkel (°)	B	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°
Steuerrohrlänge (mm)	C	135	145	160	175	135	145	160	135	145	160	175
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °
Oberrohrlänge (mm)	E	585	600	615	630	560	585	600	560	585	600	615
Kettenstrebenlänge (mm)	F	475	475	475	475	475	475	475	475	475	475	475
Radstand (mm)	G	1112	1127	1143	1159	1087	1112	1128	1087	1112	1128	1144
Überstand/Durchstieg (cm)	H	77	78,5	81	85	64	64	64	64	64	64	64

8 / 9 / 10

N7(f) / N7(f) eco / N8(f)

7 eco

		EINROHR										
Laufradgröße		28"	28"	28"	26"	28"	28"	28"	28"	28"	28"	28"
Rahmengröße		46	50	54	46	46	50	54	46	50	54	
Sitzwinkel (°)	B	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	
Steuerrohrlänge (mm)	C	175	185	195	175	180	185	195	175	185	195	
Lenkwinkel (°)	D	70 °	70 °	70 °	70 °	70 °	70 °	70 °	70 °	70 °	70 °	
Oberrohrlänge (mm)	E	624	645	658	624	633	645	658	624	645	658	
Kettenstrebenlänge (mm)	F	472	490	490	472	499	499	499	472	499	499	
Radstand (mm)	G	1161	1195	1209	1161	1192	1204	1218	1161	1204	1218	
Überstand/Durchstieg (cm)	H	40	41	41	40	41	41	41	40	41	41	

A	SEATTUBE LENGTH / FRAMESIZE	C	HEADTUBE LENGTH	E	TOPTUBE LENGTH HORIZONTAL	G	WHEELBASE
B	SEATTUBE ANGLE	D	HEADTUBE ANGLE	F	CHAINSTAY LENGTH	H	EXCESS LENGTH ACCESS
HERREN / GENT DAMEN / LADIES EINROHR / MONOTUBE ULTRATIEF / VERY LOW ENTRY							

Rahmengeometrien eBikes

Geometry and data charts eBikes

YAKUN

TOUR

HERREN

Laufradgröße		27,5"	27,5"	27,5"	27,5"
Rahmengröße		43	48	53	58
Sitzwinkel (°)	B	72 °	72 °	72 °	72 °
Steuerrohrlänge (mm)	C	140	150	160	170
Lenkwinkel (°)	D	70.5 °	71 °	71 °	71 °
Oberrohrlänge (mm)	E	570	590	610	650
Kettenstrebenlänge (mm)	F	440	440	440	440
Radstand (mm)	G	1089	1103	1123	1164
Überstand/Durchstieg (cm)	H	71	75,5	81	84

SIMA

7 / N7(f) / N7 Plus

EINROHR

Laufradgröße		26"	28"	28"	28"
Rahmengröße		46	46	50	54
Sitzwinkel (°)	B	75 °	75 °	75 °	75 °
Steuerrohrlänge (mm)	C	185	185	185	195
Lenkwinkel (°)	D	70°	70°	70°	70°
Oberrohrlänge (mm)	E	600	607	617	627
Kettenstrebenlänge (mm)	F	515	541	541	541
Radstand (mm)	G	1185	1224	1234	1245
Überstand/Durchstieg (cm)	H	42,5	43,5	43,5	43,5

YUCATAN

8

HERREN

DAMEN

EINROHR

*iR8f Einrohr

EINROHR

Laufradgröße		28"	28"	28"
Rahmengröße		48	52	60
Sitzwinkel (°)	B	73 °	73 °	73 °
Steuerrohrlänge (mm)	C	135	145	175
Lenkwinkel (°)	D	70 °	70 °	70 °
Oberrohrlänge (mm)	E	585	600	630
Kettenstrebenlänge (mm)	F	450	475	475
Radstand (mm)	G	1092	1133	1165
Überstand/Durchstieg (cm)	H	77	78,5	85

Laufradgröße		28"	28"	28"
Rahmengröße		44	48	52
Sitzwinkel (°)		73 °	73 °	73 °
Steuerrohrlänge (mm)		135	145	160
Lenkwinkel (°)		70 °	70 °	70 °
Oberrohrlänge (mm)		560	585	600
Kettenstrebenlänge (mm)		475	475	475
Radstand (mm)		1092	1118	1134
Überstand/Durchstieg (cm)		62	62	62

Laufradgröße		28"	28"	28"
Rahmengröße		46	50	54
Sitzwinkel (°)		73 °	73 °	73 °
Steuerrohrlänge (mm)		180	185	195
Lenkwinkel (°)		70 °	70 °	70 °
Oberrohrlänge (mm)		610	620	630
Kettenstrebenlänge (mm)		480	480	480
Radstand (mm)		1141	1151	1162
Überstand/Durchstieg (cm)		41	41	41

Laufradgröße		28"	28"	28"
Rahmengröße		46	50	54
Sitzwinkel (°)		75 °	75 °	75 °
Steuerrohrlänge (mm)		180	185	195
Lenkwinkel (°)		70 °	70 °	70 °
Oberrohrlänge (mm)		610	620	630
Kettenstrebenlänge (mm)		498	498	498
Radstand (mm)		1151	1161	1172
Überstand/Durchstieg (cm)		44	44	66

i8 / iR8f* / i9 / i20

HERREN

DAMEN

EINROHR

iN7f*

EINROHR

Laufradgröße		28"	28"	28"	28"
Rahmengröße		48	52	56	60
Sitzwinkel (°)	B	73 °	73 °	73 °	73 °
Steuerrohrlänge (mm)	C	150	150	160	175
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °
Oberrohrlänge (mm)	E	585	600	615	630
Kettenstrebenlänge (mm)	F	475	475	475	475
Radstand (mm)	G	1092	1107	1122	1138
Überstand/Durchstieg (cm)	H	77	80	83	86

Laufradgröße		28"	28"	28"
Rahmengröße		44	48	52
Sitzwinkel (°)		73 °	73 °	73 °
Steuerrohrlänge (mm)		155	160	160
Lenkwinkel (°)		70.5 °	70.5 °	70.5 °
Oberrohrlänge (mm)		560	585	600
Kettenstrebenlänge (mm)		475	475	475
Radstand (mm)		1067	1092	1107
Überstand/Durchstieg (cm)		68	66	66

Laufradgröße		28"	28"	28"
Rahmengröße		46	50	54
Sitzwinkel (°)		75 °	75 °	75 °
Steuerrohrlänge (mm)		180	185	195
Lenkwinkel (°)		70 °	70 °	70 °
Oberrohrlänge (mm)		610	620	630
Kettenstrebenlänge (mm)		490	490	490
Radstand (mm)		1143	1153	1164
Überstand/Durchstieg (cm)		43	43	43

Laufradgröße		28"	28"	28"
Rahmengröße		46	50	54
Sitzwinkel (°)		75 °	75 °	75 °
Steuerrohrlänge (mm)		180	185	195
Lenkwinkel (°)		70 °	70 °	70 °
Oberrohrlänge (mm)		610	620	630
Kettenstrebenlänge (mm)		500	500	500
Radstand (mm)		1153	1163	1174
Überstand/Durchstieg (cm)		43	43	43

A SEATTUBE LENGTH / FRAMESIZE

C HEADTUBE LENGTH

E TOPTUBE LENGTH HORIZONTAL

G WHEELBASE

B SEATTUBE ANGLE

D HEADTUBE ANGLE

F CHAINSTAY LENGTH

H EXCESS LENGTH ACCESS

HERREN / GENT

DAMEN / LADIES

EINROHR / MONOTUBE

ULTRATIEF / VERY LOW ENTRY

Rahmengeometrien Fahrräder

Geometry and data charts bikes

TOUR

DOMINGO 21 / DOMINGO 24(HS) / DOMINGO 24 DISC

		HERREN					DAMEN				EINROHR		
Laufgradgröße		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
Rahmengröße		48	52	56	60	64	44	48	52	56	46	50	54
Sitzwinkel (°)	B	73 °	73 °	73 °	73 °	73 °	72.5 °	72.5 °	72.5 °	73 °	70 °	70 °	70 °
Steuerrohrlänge (mm)	C	135	145	160	175	190	135	145	160	175	180	180	180
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70 °	70 °	70 °
Oberrohrlänge (mm)	E	585	600	615	630	645	560	575	590	605	625	635	650
Kettenstrebenlänge (mm)	F	450	450	450	450	450	450	450	450	450	460	460	460
Radstand (mm)	G	1087	1102	1118	1134	1149	1056	1071	1087	1109	1097	1107	1122
Überstand/Durchstieg (cm)	H	77	80	82	86,5	-	59,5	60	60,5	-	41	41	41

DOMINGO 27 DISC / DOMINGO 30 DISC

DOMINGO 27 DISC

		HERREN				DAMEN			EINROHR		
Laufgradgröße		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
Rahmengröße		48	52	56	60	44	48	52	46	50	54
Sitzwinkel (°)	B	73 °	73 °	73 °	73 °	73 °	73 °	73 °	70 °	70 °	70 °
Steuerrohrlänge (mm)	C	135	145	160	175	135	145	160	175	185	195
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70 °	70 °	70 °
Oberrohrlänge (mm)	E	585	600	615	645	560	575	585	610	620	630
Kettenstrebenlänge (mm)	F	450	450	450	450	450	450	450	460	460	460
Radstand (mm)	G	1041	1057	1072	1088	1016	1032	1042	1070	1080	1090
Überstand/Durchstieg (cm)	H	77	78,5	81	85	57	57	58	41	41	41

SPORTIVE

VATO A 21 / VATO A 24 / VATO A 27DISC

		HERREN				DAMEN		
Laufgradgröße		28"	28"	28"	28"	28"	28"	28"
Rahmengröße		48	52	56	60	44	48	52
Sitzwinkel (°)	B	73 °	73 °	73 °	73 °	72.5 °	72.5 °	72.5 °
Steuerrohrlänge (mm)	C	135	145	160	175	135	145	160
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °
Oberrohrlänge (mm)	E	585	600	615	630	560	575	590
Kettenstrebenlänge (mm)	F	450	450	450	450	450	450	450
Radstand (mm)	G	1087	1102	1118	1134	1056	1071	1087
Überstand/Durchstieg (cm)	H	77	80	82	86.5	59.5	60	60.5

RADIUS

TOUR

UNI
20"
35
69 °
220
71 °
600
410
1049
59

Rahmengenometrien Fahrräder

Geometry and data charts bikes

COMFORT

HOLIDAY N7

		HERREN				DAMEN		
Laufgradgröße		28"	28"	28"	28"	28"	28"	28"
Rahmengröße		48	52	56	60	44	48	52
Sitzwinkel (°)	B	73 °	73 °	73 °	73 °	72.5 °	72.5 °	72.5 °
Steuerrohrlänge (mm)	C	135	145	160	175	135	145	160
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °	70.5 °
Oberrohrlänge (mm)	E	585	600	615	630	560	575	590
Kettenstrebenlänge (mm)	F	450	450	450	450	450	450	450
Radstand (mm)	G	1087	1102	1118	1134	1056	1071	1087
Überstand/Durchstieg (cm)	H	77	80	82	86,5	60	60,5	61

HOLIDAY N7 / HOLLYWOOD N7

		EINROHR				WAVE				
Laufgradgröße		26"	28"	28"	28"	26"	28"	28"	28"	28"
Rahmengröße		42	45	50	55	43	43	48	53	57
Sitzwinkel (°)	B	72.5 °	72.5 °	72.5 °	72.5 °	73 °	73 °	73 °	73 °	73 °
Steuerrohrlänge (mm)	C	170	170	170	170	170	170	170	170	170
Lenkwinkel (°)	D	70.5 °	70.5 °	70.5 °	70.5 °	70 °	70 °	70 °	70 °	70 °
Oberrohrlänge (mm)	E	580	600	615	630	605	610	616	622	628
Kettenstrebenlänge (mm)	F	440	460	460	460	450	470	470	470	470
Radstand (mm)	G	1087	1103	1118	1133	1112	1132	1138	1144	1152
Überstand/Durchstieg (cm)	H	37,5	39	39	39	36,5	36,5	36,5	36,5	36,5

WEEKDAY

ULTRATIEF

Laufgradgröße		26"	28"	28"
Rahmengröße		42	46	52
Sitzwinkel (°)	B	68 °	68 °	68 °
Steuerrohrlänge (mm)	C	175	180	190
Lenkwinkel (°)	D	70 °	70 °	70 °
Oberrohrlänge (mm)	E	563	600	630
Kettenstrebenlänge (mm)	F	440	460	460
Radstand (mm)	G	996	1053	1083
Überstand/Durchstieg (cm)	H	26	27	27

Rahmengeometrien Fahrräder

Geometry and data charts bikes

URBAN

ARUBA / FLITZER / LANE / TALPARO

Nur LANE

LOAD

		HERREN				DAMEN			EINROHR		EINROHR
Laufgradgröße		28"	28"	28"	28"	28"	28"	28"	28"	28"	26"
Rahmengröße		46	51	56	61	41	46	51	46	50	48
Sitzwinkel (°)	B	73 °	73 °	73 °	73 °	73 °	73 °	73 °	70°	70°	70 °
Steuerrohrlänge (mm)	C	130	160	180	210	130	130	145	175	185	150
Lenkwinkel (°)	D	69 °	70 °	70 °	70 °	70 °	70 °	70 °	70 °	70 °	70 °
Oberrohrlänge (mm)	E	560	575	590	605	558	565	580	610	620	-
Kettenstrebenlänge (mm)	F	450	450	450	450	450	450	450	460	460	386
Radstand (mm)	G	1019	1034	1050	1066	1015	1022	1038	1070	1080	408
Überstand/Durchstieg (cm)	H	75,5	77	81	85	58	58	58	40	40	46

ATB/KIDS

RAGE / DASH

ATB

Laufgradgröße		12"	16"	20"	20"	24"	26"	26"	26"	26"	26"	26"
Rahmengröße		15	21	27	27	32	35	38	40	44	45	50
Sitzwinkel (°)	B	67	73	72	72	72	72	72	72	72	72	72
Steuerrohrlänge (mm)	C	80	100	110	110	110	120	140	120	150	130	140
Lenkwinkel (°)	D	72	70	70	70	70	70	70	70	70	70	70
Oberrohrlänge (mm)	E	305	360	452	457	510	535	564	550	575	570	595
Kettenstrebenlänge (mm)	F	250	300	362	361	400	435	447	435	447	435	435
Radstand (mm)	G	585	702	865	869	961	1022	1063	1037	1075	1057	1082
Überstand/Durchstieg (cm)	H	-	-	49	49	59	63	44	67	44	71	75

CHICA

EINROHR

Laufgradgröße		20"	24"	26"	26"
Rahmengröße		27	32	38	44
Sitzwinkel (°)	B	72	72	72	72
Steuerrohrlänge (mm)	C	130	130	140	150
Lenkwinkel (°)	D	70	70	70	70
Oberrohrlänge (mm)	E	440	499	564	574
Kettenstrebenlänge (mm)	F	361	400	440	440
Radstand (mm)	G	853	951	1056	1067
Überstand/Durchstieg (cm)	H	38	42	44	44

A SEATTUBE LENGTH / FRAMESIZE

C HEADTUBE LENGTH

E TOPTUBE LENGTH HORIZONTAL

G WHEELBASE

B SEATTUBE ANGLE

D HEADTUBE ANGLE

F CHAINSTAY LENGTH

H EXCESS LENGTH ACCESS

HERREN / GENT

DAMEN / LADIES

EINROHR / MONOTUBE

ULTRATIEF / VERY LOW ENTRY

Fahrradmodelle können Vorschau-Renderings sein / Original kann abweichen!

Alle Angaben über Lieferumfang, technische Daten und Leistungen entsprechen den zum Zeitpunkt der Drucklegung vorhandenen Kenntnissen. Irrtümer, Fehler und Änderungen vorbehalten. Keine Gewähr für Druckfehler.

Bicycle models may partially be preview renderings / original product may vary!
Errors and printing errors excepted.

© Winora-Staiger GmbH, Sennfeld, Deutschland 2019



WINORA GROUP

Winora-Staiger GmbH
E. Wiener Bike Parts GmbH

Max-Planck-Straße 4-8 › 97526 Sennfeld › Germany
+49 9721 6501-0 › info@winora-group.de › winora-group.de